

Vehicle: [Retail] 2020 Land Rover Range Rover Velar (HQ560/560BK) P340 R-Dynamic S (Complete)

Window Sticker

SUMMARY [Retail] 2020 Land Rover Range Rover Velar (HQ560/560BK) P340 R-Dynamic S

MSRP:\$71,500.00

Interior: Ebony w/Light Oyster, Perforated Grained Leather & Suedecloth Seat Trim

Exterior 1:Fuji White

Exterior 2:No colour has been selected.

OPTIONS

PHONS			
CODE	MODEL		MSRP
HQ560/560BK	[Retail] 2020 Land Rover Range Rover Velar (HQ560/560 R-Dynamic S	DBK) P340	\$71,500.00
	OPTIONS		
	Federal air conditioning excise tax		\$100.00
017ED	Hot Climate Pack		\$940.00
017FI	Convenience Pack		\$730.00
017TA	Drive Pack		\$1,200.00
017UA	Park Pack		\$800.00
031FQ	Wheels: 19" x 8.5" Satin Dark Grey (Style 5046)		\$0.00
054AT	Power Socket Pack 3	Inc.	
064AP	Front Fog Lights		\$170.00
070BA	Gesture Tailgate	Inc.	
074KY	Technology Pack		\$1,590.00
1AA	Fuji White		\$0.00
301QE	14-Way Fr Climate w/Memory & Rr Heated Seats		\$1,000.00
TQA	Ebony w/Light Oyster, Perforated Grained Leather & Sue Seat Trim	decloth	\$0.00
	CUSTOM EQUIPMENT		
Land Rover	Land Rover Fees OMVIC Mats PDI Env. Fees		\$1,155.00
	SUBTOTAL		\$79,085.00
	Adjustments Total		\$0.00
	Total Tax		\$100.00
	Destination Charge		\$1,700.00
	TOTAL PRICE		\$80,885.00

FUEL ECONOMY



CHROMEDATA Lockhart Automotive Inc.

Sean Lockhart | 416-410-4938 | sean@lockhartautomotive.ca

Vehicle: [Retail] 2020 Land Rover Range Rover Velar (HQ560/560BK) P340 R-Dynamic S (
 Complete)

Est City:13 L/100 km

Est Highway:10 L/100 km

Est Highway Cruising Range:509.20 mi



Vehicle: [Retail] 2020 Land Rover Range Rover Velar (HQ560/560BK) P340 R-Dynamic S (Complete)

Standard Equipment

Mechanical	
	Engine: 3.0L V6 Supercharged (340HP)
	Transmission w/Sequential Shift Control w/Steering Wheel Controls
	Transmission: 8-Speed Automatic
	Electronic Transfer Case
	Full-Time Four-Wheel Drive
	3.73 Axle Ratio
	Block Heater
	Battery w/Run Down Protection
	Towing Equipment -inc: Trailer Sway Control
	GVWR: 2,570 kgs
	Gas-Pressurized Shock Absorbers
	Front And Rear Anti-Roll Bars
	Automatic w/Driver Control Ride Control Suspension
	Electric Power-Assist Speed-Sensing Steering
	82 L Fuel Tank
	Dual Stainless Steel Exhaust w/Polished Tailpipe Finisher
	Permanent Locking Hubs
	Double Wishbone Front Suspension w/Coil Springs
	Multi-Link Rear Suspension w/Coil Springs
	4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist, Hill Descent Control, Hill Hold Control and Electric Parking Brake
Exterior	
	Wheels: 19" x 8.5" Satin Dark Grey (Style 5046) (STD)
	Tires: P255/55W19
	Aluminum Spare Wheel
	Compact Spare Tire Mounted Inside Under Cargo
	Clearcoat Paint
	Express Open/Close Sliding And Tilting Glass 1st And 2nd Row Sunroof w/Power Sunshade
	Body-Coloured Front Bumper
	Body-Coloured Rear Bumper w/Black Rub Strip/Fascia Accent and Metal-Look Bumper Insert
	Black Bodyside Insert and Black Bodyside Cladding



Vehicle: [Retail] 2020 Land Rover Range Rover Velar (HQ560/560BK) P340 R-Dynamic S (Complete)

Exterior	
	Black Side Windows Trim, Black Front Windshield Trim and Black Rear Window Trim
	Body-Coloured Door Handles
	Black Power w/Tilt Down Heated Auto Dimming Side Mirrors w/Power Folding and Turn Signal Indicator
	Fixed Rear Window w/Fixed Interval Wiper and Defroster
	Deep Tinted Glass
	Speed Sensitive Rain Detecting Variable Intermittent Wipers
	Aluminum Panels
	Wing Spoiler
	Front License Plate Bracket
	Black Grille
	Power Liftgate Rear Cargo Access
	Tailgate/Rear Door Lock Included w/Power Door Locks
	Fully Automatic Projector Beam Led Low/High Beam Daytime Running Auto-Leveling Auto High-Beam Headlamps w/Washer and Delay-Off
	Rear Fog Lamps
	Perimeter/Approach Lights
	LED Brakelights
Entertainment	
	Radio w/Seek-Scan, Clock, Speed Compensated Volume Control, Steering Wheel Controls, Radio Data System and External Memory Control
	Radio: Touch Pro Duo w/Navigation Pro -inc: real time traffic information (RTTI), 60GB solid state drive (10GB user media storage); InControl apps - allows selected apps from user's smartphone to be used on vehicle touchscreen, Works w/Apple iOS phones and Google Android phones; Pro Services 4G Connection and WiFi Hotspot - real time traffic flow, fuel price service, parking service, online search, satellite view, street view, online routing, cloud synch, door to door routing, sharing of ETA and places and live apps; Bluetooth connectivity and voice control
	380w Regular Amplifier
	Automatic Equalizer
	Streaming Audio
	Window Grid And Roof Mount Diversity Antenna
	Meridian Sound System (380W) -inc: 10 speakers plus subwoofer
	Sirius XM Satellite Radio & HD Radio
	3 LCD Monitors In The Front
Interior	
	14-Way Heated Front Seats w/Memory (STD)
	14-Way Heated Front Seats w/Memory (STD)



Vehicle: [Retail] 2020 Land Rover Range Rover Velar (HQ560/560BK) P340 R-Dynamic S (
 Complete)

Interior	
	Bucket Front Seats w/Power 4-Way Driver Lumbar
	8-Way Driver Seat -inc: Power 4-Way Lumbar Support
	8-Way Passenger Seat -inc: Power 4-Way Lumbar Support
	40-20-40 Folding Bench Front Facing Manual Reclining Fold Forward Seatback Rear Seat
	Power Tilt/Telescoping Steering Column
	Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
	Power Rear Windows and Fixed 3rd Row Windows
	Heated Leather/Metal-Look Steering Wheel
	Front Cupholder
	Rear Cupholder
	Compass
	Proximity Key For Doors And Push Button Start
	Valet Function
	Remote Keyless Entry w/Integrated Key Transmitter, 4 Door Curb/Courtesy, Illuminated Entry, Illuminated Ignition Switch and Panic Button
	Remote Releases -Inc: Power Cargo Access
	HomeLink Garage Door Transmitter
	Cruise Control w/Steering Wheel Controls
	Dual Zone Front Automatic Air Conditioning
	HVAC -inc: Underseat Ducts and Console Ducts
	Illuminated Locking Glove Box
	Driver Foot Rest
	Full Morzine Cloth Headliner
	Leatherette Door Trim Insert
	Metal-Look Gear Shift Knob
	Interior Trim -inc: Leatherette Instrument Panel Insert, Aluminum Door Panel Insert, Piano Black Console Inser and Piano Black/Metal-Look Interior Accents
	Perforated Grained Leather & Suedecloth Seat Trim
	Day-Night Auto-Dimming Rearview Mirror
	Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
	Full Floor Console w/Covered Storage, Mini Overhead Console and 3 12V DC Power Outlets
	Front And Rear Map Lights
	Fade-To-Off Interior Lighting
	based on Data Version 11613, 2-Eeb-2020 10:16:00 PST PM Any performance-related calculations are offered solely as guidelines. Actual vehicle



Vehicle: [Retail] 2020 Land Rover Range Rover Velar (HQ560/560BK) P340 R-Dynamic S (Complete)

Interior	
	Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
	Carpet Floor Trim
	Trunk/Hatch Auto-Latch
	Cargo Area Concealed Storage
	Roll-Up Cargo Cover
	Cargo Space Lights
	Memory Settings -inc: Door Mirrors and Steering Wheel
	FOB Controls -inc: Trunk/Hatch/Tailgate and Windows
	Smart Device Remote Engine Start
	InControl Protect Tracker System
	Instrument Panel Covered Bin, Driver / Passenger And Rear Door Bins
	Power 1st Row Windows w/Front And Rear 1-Touch Up/Down
	Delayed Accessory Power
	Power Door Locks w/Autolock Feature
	Systems Monitor
	Redundant Digital Speedometer
	Trip Computer
	Outside Temp Gauge
	Analog Display
	Driver And Passenger Heated-Cushion, Driver And Passenger Heated-Seatback
	Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
	Driver And Front Passenger Armrests and Rear Centre Armrest
	2 Seatback Storage Pockets
	Perimeter Alarm
	Engine Immobilizer
	3 12V DC Power Outlets
	Air Filtration
Safety-Mechanical	
	Dynamic Stability Control (DSC) with Roll Stability Control (RSC) Electronic Stability Control (ESC) And Roll Stability Control (RSC)
	ABS And Driveline Traction Control



Vehicle: [Retail] 2020 Land Rover Range Rover Velar (HQ560/560BK) P340 R-Dynamic S (
 Complete)

-	
	Side Impact Beams
Safety-Interior	
	Dual Stage Driver And Passenger Seat-Mounted Side Airbags
	Front and Rear Parking Aid Front And Rear Parking Sensors
	Blind Spot Assist Blind Spot Sensor
	Forward Collision Mitigation
	Lane Keep Assist Lane Keeping Assist
	Lane Keep Assist Lane Departure Warning
	Tire Specific Low Tire Pressure Warning
	Dual Stage Driver And Passenger Front Airbags
	Curtain 1st And 2nd Row Airbags
	Airbag Occupancy Sensor
	Childseat Sensor and Power Rear Child Safety Locks
	Outboard Front Lap And Shoulder Safety Belts -inc: Rear Centre 3 Point and Pretensioners
	Back-Up Camera
WARRANTY	

WARRANTY

Basic Years: 4 Basic Miles/km: 80,000 Drivetrain Years: 4 Drivetrain Miles/km: 80,000 Corrosion Years: 6 Corrosion Miles/km: Unlimited Roadside Assistance Years: 4 Roadside Assistance Miles/km: 80,000 Maintenance Years: 1 Maintenance Miles/km: 24,000

CHROMEDATA An Autodata Solutions Brand Lockhart Automotive Inc. Sean Lockhart | 416-410-4938 | se

Sean Lockhart | 416-410-4938 | sean@lockhartautomotive.ca

Vehicle: [Retail] 2020 Land Rover Range Rover Velar (HQ560/560BK) P340 R-Dynamic S (</ Complete)

Technical Specifications

Powertrain

ansmission			
Drivetrain	Four Wheel Drive	Trans Order Code	N/A
Trans Type	8	Trans Description Cont.	Automatic w/O
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.71
Second Gear Ratio (:1)	3.14	Third Gear Ratio (:1)	2.11
Fourth Gear Ratio (:1)	1.67	Fifth Gear Ratio (:1)	1.28
Sixth Gear Ratio (:1)	1.00	Reverse Ratio (:1)	3.32
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	Electronic
Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	No	Seventh Gear Ratio (:1)	0.84
Eighth Gear Ratio (:1)	0.67		
leage			
EnerGuide Estimate - City	13 L/100 km	EnerGuide Estimate - Hwy	10 L/100 km
Cruising Range - City	391.69 mi	Cruising Range - Hwy	509.20 mi
ngine			
Engine Order Code	N/A	Engine Type	Intercooled Supercharger Premium Unleaded V-6
Displacement	3.0 L/183	Fuel System	Gasoline Direc
SAE Net Horsepower @ RPM	340 @ 6500	SAE Net Torque @ RPM	332 @ 3500
Engine Oil Cooler	None		
ectrical			
Cold Cranking Amps @ 0° F (Primary)	N/A	Cold Cranking Amps @ 0° F (2nd)	N/A
Maximum Alternator Capacity (amps)	N/A	Cold Cranking Amps @ 0° F (3rd)	N/A
ooling System			
Total Cooling System Capacity	N/A		



Vehicle: [Retail] 2020 Land Rover Range Rover Velar (HQ560/560BK) P340 R-Dynamic S (Complete)

ssions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	273
ssis			
ght Information			
Standard Weight - Front	0.00 lbs	Standard Weight - Rear	0.00 lbs
Gross Axle Wt Rating - Front	N/A	Gross Axle Wt Rating - Rear	N/A
Curb Weight - Front	N/A	Curb Weight - Rear	N/A
Dption Weight - Front	0.00 lbs	Option Weight - Rear	0.00 lbs
Reserve Axle Capacity - Front	N/A	Reserve Axle Capacity - Rear	N/A
As Spec'd Curb Weight	N/A	As Spec'd Payload	N/A
Maximum Payload Capacity	N/A	Gross Combined Wt Rating	N/A
Gross Axle Weight Rating	N/A	Curb Weight	N/A
Reserve Axle Capacity	N/A	Total Option Weight	0.00 lbs
Payload Weight Front	0 lbs	Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	5666.00 lbs		
me Frame Type	N/A	Sect Modulus Rails Only	N/A
Frame RBM	N/A N/A	-	N/A
Frame Thickness		Frame Strength	IN/A
Frame Thickness	N/A		
spension			
Suspension Type - Front	Double Wishbone	Suspension Type - Rear	Multi-Link
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A
Axle Type - Front	Independent	Axle Type - Rear	Independent
Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A
Axle Ratio (:1) - Front	3.73	Axle Ratio (:1) - Rear	3.73
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
	N/A	Stabilizer Bar Diameter - Rear	N/A
Stabilizer Bar Diameter - Front			
Stabilizer Bar Diameter - Front s			



Vehicle: [Retail] 2020 Land Rover Range Rover Velar (HQ560/560BK) P340 R-Dynamic S (</ Complete)

Chassis

Γires (
Spare Tire Order Code	N/A	Front Tire Size	P255/55WR19
Rear Tire Size	P255/55WR19	Spare Tire Size	Compact
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
Vheels			
Front Wheel Size	19 X 8.5 in	Rear Wheel Size	19 X 8.5 in
Spare Wheel Size	Compact in	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Aluminum
Steering			
Steering Type	Rack-Pinion	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb 38.1	
Turning Diameter - Wall to Wall	N/A		
Brakes			
Brake Type	4-Wheel Disc	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	4-Wheel	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	13.8 in
Rear Brake Rotor Diam x Thickness	12.8 in	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		
Fuel Tank			
Fuel Tank Capacity, Approx	82 gal	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
imensions			
nterior Dimensions			
Passenger Capacity	5	Front Head Room	38.2 in
Front Leg Room	40.3 in	Front Shoulder Room	57.2 in
Front Hip Room	N/A	Second Head Room	38 in



Cargo Box Width @ Wheelhousings

Tailgate Width

Cargo Volume to Seat 1

Cargo Volume to Seat 3

Sean Lockhart | 416-410-4938 | sean@lockhartautomotive.ca

Vehicle: [Retail] 2020 Land Rover Range Rover Velar (HQ560/560BK) P340 R-Dynamic S (
 Complete)

41.1 in

24.2 ft3

N/A

N/A

Dimensions

rior Dimensions			
Second Hip Room	N/A		
erior Dimensions			
Wheelbase	113.1 in	Length, Overall	189.1
/idth, Max w/o mirrors	76.1 in	Height, Overall	66.3 ir
ack Width, Front	64.6 in	Track Width, Rear	65.2 ir
verhang, Front	N/A	Overhang, Rear w/o bumper	N/A
Front Bumper to Back of Cab	N/A	Cab to Axle	N/A
ab to End of Frame	N/A	Ground to Top of Load Floor	N/A
Ground to Top of Frame	N/A	Frame Width, Rear	N/A
Ground Clearance, Front	N/A	Ground Clearance, Rear	N/A
Min Ground Clearance	8.4 in	Body Length	0.00 ft
Rear Door Opening Height	N/A	Rear Door Opening Width	N/A
Liftover Height	N/A	Cab to Body	N/A
go Area Dimensions			
Cargo Area Length @ Floor to Seat 1	70.7 in	Cargo Area Length @ Floor to Seat 2	39.8 ir
Cargo Area Length @ Floor to Seat 3	N/A	Cargo Box Width @ Top, Rear	N/A
Cargo Area Width @ Beltline	49.1 in	Cargo Box Width @ Floor	N/A

Cargo Box (Area) Height

Cargo Volume to Seat 2

Ext'd Cab Cargo Volume

Cargo Volume

41.3 in

70.1 ft³

24.2 ft³

N/A