

2019 Chevrolet Silverado 1500 (CK10753) 4WD Double Cab 147"

Window Sticker

SUMMARY			
[Retail] 2019 Chevrolet Si	lverado 1500 (CK10753) 4WD Double Cab 147" Work Truck		MSRP:\$38,800.00
Interior:Jet Black, Cloth se	eat trim		
Exterior 1:Summit White			
Exterior 2:No colour has b	een selected.		
Engine, 5.3L EcoTec3 V8			
Transmission, 6-speed au	tomatic, electronically controlled		
OPTIONS			
CODE	MODEL		MSRP
CK10753	[Retail] 2019 Chevrolet Silverado 1500 (CK10753) 4WD Double Cab 147" Work Truck		\$38,800.00
	OPTIONS		
—	Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr, maintenance-free	Inc.	
	Federal air conditioning excise tax		\$100.00
1WT	Work Truck Preferred Equipment Group		\$0.00
A52	Seats, front 40/20/40 split-bench		\$0.00
AKO	Glass, deep-tinted	Inc.	
AQQ	Remote Keyless Entry, with 2 transmitters	Inc.	
C49	Defogger, rear-window electric	Inc.	
C5W	GVWR, 7000 lbs. (3175 kg)		\$0.00
CGN	Chevytec spray-on bedliner, Black with Chevrolet logo		\$600.00
DLF	Mirrors, outside heated power-adjustable	Inc.	
G80	Differential, heavy-duty locking rear		\$450.00
GAZ	Summit White		\$0.00
GU6	Rear axle, 3.42 ratio		\$0.00
H1T	Jet Black, Cloth seat trim		\$0.00
IOR	Audio System, Chevrolet Infotainment 3 System, 7" diagonal colour touchscreen, AM/FM stereo.		\$0.00
JL1	Trailer brake controller, integrated		\$350.00
K34	Cruise control, electronic	Inc.	
KNP	Cooling, auxiliary external transmission oil cooler	Inc.	
L82	Engine, 5.3L EcoTec3 V8		\$1,695.00



2019 Chevrolet Silverado 1500 (CK10753) 4WD Double Cab 147"

MYC	Transmission, 6-speed automatic, electronically controlled	\$0.00
PCV	WT Convenience Package	\$1,395.00
QBN	Tires, P255/70R17 all-season, blackwall	\$0.00
QT5	Tailgate, gate function manual with EZ Lift	Inc.
RD6	Wheels, 17" x 8" (43.2 cm x 20.3 cm) Ultra Silver painted steel	\$0.00
Z82	Trailering Package	\$450.00
	SUBTOTAL	\$43,740.00
	Adjustments Total	\$0.00
	Total Tax	\$100.00
	Destination Charge	\$1,795.00

TOTAL PRICE

FUEL ECONOMY

Est City:N/A

Est Highway:N/A

Est Highway Cruising Range:N/A

Current report content is based on Data Version 8452, 29-Dec-2018 10:07:00 PST PM. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Chrome Data reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.

\$45,635.00



2019 Chevrolet Silverado 1500 (CK10753) 4WD Double Cab 147"

Standard Equipment

· · ·	
Mechanical	
	Durabed, pickup bed
	Engine, 4.3L EcoTec3 V6 (285 hp [212 kW] @ 5300 rpm, 305 lb-ft of torque [413 Nm] @ 3900 rpm) (STD)
	Transmission, 6-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD)
	Rear axle, 3.42 ratio
	GVWR, 7000 lbs. (3175 kg) (STD) (Requires Crew Cab or Double Cab 4WD model and (LV3) 4.3L EcoTec3 V6 engine or (L3B) 2.7L Turbo engine. Requires Double Cab 4WD model and (L82) 5.3L EcoTec3 V8 engine.)
	Transfer case, single speed electronic Autotrac with rotary dial control (4WD models only)
	Four wheel drive
	Cooling, external engine oil cooler
	Battery, heavy-duty 730 cold-cranking amps/70 Amp-hr, maintenance-free with rundown protection and retained accessory power (Included and only available with (LV3) 4.3L EcoTec3 V6 engine.)
	Alternator, 170 amps
	Frame, fully-boxed, hydroformed front section
	Steering, Electric Power Steering (EPS) assist, rack-and-pinion
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Capless Fuel Fill
	Exhaust, single outlet
Exterior	
	Wheels, 17" x 8" (43.2 cm x 20.3 cm) Ultra Silver painted steel (STD)
	Tires, P255/70R17 all-season, blackwall (STD)
	Tire, spare 255/70R17 all-season, blackwall (Included with (QBN) P255/70R17 all-season, blackwall tires.)
	Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door
	Bumper, front, Black (semi-gloss)
	Bumper, rear, Black (semi-gloss)
	CornerStep, rear bumper
	Recovery hooks, front, frame-mounted, black (Included with 4WD models.)
	Cargo tie downs (12), fixed rated at 500 lbs (226.8 kg) per corner
	Grille (Black bars and mesh inserts.)
	Headlamps, halogen reflector with halogen Daytime Running Lamps
	Lamps, cargo area, cab mounted integrated with centre high mount stop lamp, with switch on centre switch ban
	Taillamps, with incandescent tail, stop and reverse lights



2019 Chevrolet Silverado 1500 (CK10753) 4WD Double Cab 147"

Exterior	
	Mirrors, outside manual, Black
	Glass, solar absorbing, tinted
	Door handles, Black
	Tailgate and bed rail protection cap, top
	Tailgate, locking utilizes same key as ignition and door (Upgraded to (QT5) EZ Lift power lock and release tailgate when (PCV) WT Convenience Package is ordered.)
	Tailgate, gate function manual no lift assist
Entertainment	
	Audio System, Chevrolet Infotainment 3 System, 7" diagonal colour touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Apple CarPlay and Android Auto capable (STD)
	Audio system feature, 6-speaker system (Requires Crew Cab or Double Cab model.)
	Bluetooth for phone, connectivity to vehicle infotainment system
	USB port, located on instrument panel
Interior	
	Seats, front 40/20/40 split-bench (STD)
	Seat trim, Vinyl
	Seat adjuster, driver 4-way manual
	Seat adjuster, passenger 4-way manual
	Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor)
	Floor covering, rubberized-vinyl (Not available with LPO floor liners.)
	Steering wheel, urethane
	Steering column, Tilt-Wheel, manual with wheel locking security feature
	Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
	Driver Information Centre, 3.5" diagonal monochrome display
	Exterior Temperature Display located in radio display
	Rear Seat Reminder (Requires Crew Cab or Double Cab model.)
	Windows, power front, drivers express up/down
	Windows, power front, passenger express down
	Windows, power rear, express down (Not available with Regular Cab models.)
	Door locks, power
	Air conditioning, single-zone
	Air vents, rear, heating/cooling (Not available on Regular Cab models.)



2019 Chevrolet Silverado 1500 (CK10753) 4WD Double Cab 147"

Interior	
	Power outlet, front auxiliary, 12-volt
	Mirror, inside rearview, manual tilt
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
Safety-Mechanical	
	StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist
Safety-Exterior	
	Daytime Running Lamps with automatic exterior lamp control
Safety-Interior	
	Airbags, dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag
	Rear Vision Camera
	Teen Driver configurable feature that lets you activate customizable vehicle settings associated with a key fob, to encourage safe driving behaviour. It can limit certain vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on your teen's driving habits and helps you to continue to coach your new driver
	Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)



2019 Chevrolet Silverado 1500 (CK10753) 4WD Double Cab 147"

Technical Specifications

Powertrain

Transmission

Drivetrain	Four Wheel Drive	Trans Order Code	MYC
Trans Type	6	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	N/A
Second Gear Ratio (:1)	N/A	Third Gear Ratio (:1)	N/A
Fourth Gear Ratio (:1)	N/A	Fifth Gear Ratio (:1)	N/A
Sixth Gear Ratio (:1)	N/A	Reverse Ratio (:1)	N/A
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A		
Milaama			
Mileage	N/A	Epor Quido Entimoto - Llusz	N/A
EnerGuide Estimate - City		EnerGuide Estimate - Hwy	
Cruising Range - City	N/A	Cruising Range - Hwy	N/A
Engine			
Engine Order Code	L82	Engine Type	Gas V8
Displacement	5.3L/-TBD-	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	355 @ 5600	SAE Net Torque @ RPM	383 @ 4100
Engine Oil Cooler	N/A		
Electrical			
Cold Cranking Amps @ 0° F (Primary)	720	Cold Cranking Amps @ 0° F (2nd)	N/A
Maximum Alternator Capacity (amps)	170	Cold Cranking Amps @ 0° F (3rd)	N/A
Cooling System			
Total Cooling System Capacity	N/A		
Total Cooling System Capacity	N/A		
Total Cooling System Capacity	N/A		
	N/A		



2019 Chevrolet Silverado 1500 (CK10753) 4WD Double Cab 147"

Chassis

eight Information			
Standard Weight - Front	0 kg	Standard Weight - Rear	0 kg
Gross Axle Wt Rating - Front	1,723.68 kg	Gross Axle Wt Rating - Rear	1,723.68 kg
Curb Weight - Front	1,299.56 kg	Curb Weight - Rear	941.22 kg
Option Weight - Front	0 kg	Option Weight - Rear	0 kg
Reserve Axle Capacity - Front	424.12 kg	Reserve Axle Capacity - Rear	782.46 kg
As Spec'd Curb Weight	2,240.78 kg	As Spec'd Payload	934.42 kg
Maximum Payload Capacity	934.42 kg	Gross Combined Wt Rating	6,804 kg
Gross Axle Weight Rating	3,447.36 kg	Curb Weight	2,240.78 kg
Reserve Axle Capacity	1,206.58 kg	Total Option Weight	0 kg
Payload Weight Front	0 kg	Payload Weight Rear	0 kg
Gross Vehicle Weight Rating	3,175.2 kg		
rame			
Frame Type	N/A	Sect Modulus Rails Only	N/A
	N/A N/A	Sect Modulus Rails Only Frame Strength	N/A N/A
Frame Type			
Frame Type Frame RBM	N/A		
Frame Type Frame RBM Frame Thickness	N/A		
Frame Type Frame RBM Frame Thickness uspension	N/A N/A	Frame Strength	N/A
Frame Type Frame RBM Frame Thickness uspension Suspension Type - Front	N/A N/A N/A	Frame Strength Suspension Type - Rear	N/A N/A
Frame Type Frame RBM Frame Thickness uspension Suspension Type - Front Spring Capacity - Front	N/A N/A N/A N/A	Frame Strength Suspension Type - Rear Spring Capacity - Rear	N/A N/A N/A
Frame Type Frame RBM Frame Thickness uspension Suspension Type - Front Spring Capacity - Front Axle Type - Front	N/A N/A N/A N/A N/A	Frame Strength Suspension Type - Rear Spring Capacity - Rear Axle Type - Rear	N/A N/A N/A N/A
Frame Type Frame RBM Frame Thickness uspension Suspension Type - Front Spring Capacity - Front Axle Type - Front Axle Capacity - Front	N/A N/A N/A N/A N/A N/A	Frame Strength Suspension Type - Rear Spring Capacity - Rear Axle Type - Rear Axle Capacity - Rear	N/A N/A N/A N/A N/A

Front Tire Order Code	QBN	Rear Tire Order Code	QBN
Spare Tire Order Code	QBR	Front Tire Size	P255/70R17
Rear Tire Size	P255/70R17	Spare Tire Size	255/70R17
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A



2019 Chevrolet Silverado 1500 (CK10753) 4WD Double Cab 147"

res			
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
/heels			
Front Wheel Size	17" x 8" mm	Rear Wheel Size	17" x 8" mm
Spare Wheel Size	N/A	Front Wheel Material	Steel
Rear Wheel Material	Steel	Spare Wheel Material	N/A
teering			
Steering Type	Electric Rack & Pinion	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	14.11 m
Turning Diameter - Wall to Wall	N/A		
rakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	N/A
Rear Brake Rotor Diam x Thickness	N/A	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		
uel Tank			
Fuel Tank Capacity, Approx	91 L	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
mensions			
nterior Dimensions			
Passenger Capacity	6	Front Head Room	1,092.96 mm
Front Leg Room	1,131.06 mm	Front Shoulder Room	1,676.91 mm
Front Hip Room	1,553.97 mm	Second Head Room	1,012.95 mm
Second Leg Room	895.1 mm	Second Shoulder Room	1,647.95 mm
Second Hip Room	1,530.1 mm		
xterior Dimensions			
Wheelbase	3,745.23 mm	Length, Overall w/o rear bumper	5,885.18 mm



CHROMEDATA[™] Lockhart Automotive Inc.

Sean Lockhart | 416-410-4938 | sean@lockhartautomotive.ca

2019 Chevrolet Silverado 1500 (CK10753) 4WD Double Cab 147"

Dimensions

terior Dimensions			
Length, Overall	N/A	Width, Max w/o mirrors	2,063.5 mm
Height, Overall	1,921 mm	Overhang, Front	N/A
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
Cab to Axle	N/A	Cab to End of Frame	N/A
Ground to Top of Load Floor	N/A	Ground to Top of Frame	N/A
Frame Width, Rear	N/A	Ground Clearance, Front	205.23 mm
Ground Clearance, Rear	205.23 mm	Body Length	0 m
Cab to Body	N/A		
argo Area Dimensions	0.017 70		N1/A
Cargo Box Length @ Floor	2,017.78 mm	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	1,813.56 mm	Cargo Box Width @ Wheelhousings	1,286 mm
Cargo Box (Area) Height	568.96 mm	Tailgate Width	N/A
Cargo Volume	2,030.32 L	Ext'd Cab Cargo Volume	N/A
Cargo Volume	2,030.32 L	Ext'd Cab Cargo Volume	N/A