

2019 Ford Super Duty F-550 DRW (X5H) XLT 4WD SuperCab 192" WB 84" CA

Window Sticker

SUMMARY

[Retail] 2019 Ford Super Duty F-550 DRW (X5H) XLT 4WD SuperCab 192" WB 84" CA

MSRP:\$60,949.00

Interior: Medium Earth Grey, Cloth Luxury Captain's Chairs

Exterior 1:Oxford White

Exterior 2:No colour has been selected.

Engine: 6.7L 4V OHV Power Stroke V8 Turbo Diesel B20

Transmission: TorqShift 6-Speed Automatic

OPTIONS		
CODE	MODEL	MSRP
X5H	[Retail] 2019 Ford Super Duty F-550 DRW (X5H) XLT 4WD SuperCab 192" WB 84" CA	\$60,949.00
	OPTIONS	
	Federal air conditioning excise tax	\$100.00
166	Carpet Delete	\$0.00
213	4x4 Electronic-Shift-On-The-Fly	\$200.00
28	Medium Earth Grey, Cloth Luxury Captain's Chairs	\$460.00
43C	110V/400W Outlet Inc.	
44W	Transmission: TorqShift 6-Speed Automatic	\$0.00
473	Snow Plow Prep Package	\$160.00
535	High Capacity Trailer Tow Package	\$350.00
64Z	Wheels: 19.5" Painted Steel	\$0.00
663A	Order Code 663A	\$0.00
68M	GVWR: 8,845 kgs (19,500 lbs) Payload Package	\$700.00
76C	Exterior Back-Up Alarm	\$150.00
90D	8-Way Power Driver Seat/Lumbar Adjuster	\$670.00
913	SYNC 3 Communications & Entertainment System	\$500.00
99T	Engine: 6.7L 4V OHV Power Stroke V8 Turbo Diesel B20	\$9,450.00
THB	Tires: 225/70Rx19.5G BSW Traction	\$300.00
X8L	4.88 Axle Ratio w/Limited Slip	\$0.00
Z1	Oxford White	\$0.00
	SUBTOTAL	\$73,889.00

Current report content is based on Data Version 8452, 29-Dec-2018 10:07:00 PST PM. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Chrome Data reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



2019 Ford Super Duty F-550 DRW (X5H) XLT 4WD SuperCab 192" WB 84" CA

Adjustments Total \$0.00

Total Tax \$100.00

Destination Charge \$1,800.00


TOTAL PRICE \$75,789.00

FUEL ECONOMY

Est City:N/A

Est Highway:N/A

Est Highway Cruising Range: N/A





2019 Ford Super Duty F-550 DRW (X5H) XLT 4WD SuperCab 192" WB 84" CA

Standard Equipment

Mechanical	
	Engine: 6.8L 3-Valve SOHC EFI NA V10 (STD)
	Transmission: TorqShift 6-Speed Automatic w/OD -inc: (6R140), SelectShift and tow/haul mode (STD)
	4.88 Axle Ratio w/Limited Slip (STD)
	Transmission w/Oil Cooler
	Manual Transfer Case
	Part-Time Four-Wheel Drive
	Block Heater
	78-Amp/Hr 750CCA Maintenance-Free Battery w/Run Down Protection
	HD 240 Amp Alternator
	Towing Equipment -inc: Harness, Brake Controller and Trailer Sway Control
	10530# Maximum Payload
	GVWR: 8,165 kgs (18,000 lbs) Payload Package
	HD Shock Absorbers
	Front And Rear Anti-Roll Bars
	Firm Suspension
	Hydraulic Power-Assist Steering
	151.4 L Fuel Tank
	Single Stainless Steel Exhaust
	Dual Rear Wheels
	Manual Locking Hubs
	Front Suspension w/Coil Springs
	Leaf Rear Suspension w/Leaf Springs
	4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs and Brake Assist
	Upfitter Switches
Exterior	
	Wheels: 19.5" Painted Steel (STD)
	Tires: 225/70Rx19.5G BSW AS (STD)
	Clearcoat Paint
	Chrome Front Bumper w/Body-Coloured Rub Strip/Fascia Accent and 2 Tow Hooks
	Black Fender Flares
	Black Side Windows Trim and Black Front Windshield Trim

Current report content is based on Data Version 8452, 29-Dec-2018 10:07:00 PST PM. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Chrome Data reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



2019 Ford Super Duty F-550 DRW (X5H) XLT 4WD SuperCab 192" WB 84" CA

_	
Exterior	
	Black Door Handles
	Manual Extendable Trailer Style Mirrors
	Black Power Heated Side Mirrors w/Convex Spotter, Manual Folding and Turn Signal Indicator
	Fixed Rear Window
	Variable Intermittent Wipers
	Privacy Glass
	Aluminum Panels
	Black Grille w/Chrome Accents
	Reverse Opening Rear Doors
	Fully Automatic Aero-Composite Halogen Headlamps w/Delay-Off
	Cab Clearance Lights
	Perimeter/Approach Lights
Entertainment	
	Radio w/Seek-Scan
	Radio: Premium AM/FM Stereo w/MP3 Player -inc: 7 speakers, digital clock and SiriusXM satellite radio w/6 month prepaid subscription
	Fixed Antenna
	SYNC Communications & Entertainment System -inc: Voice-activated, USB port, 911 Assist, steering wheel mounted controls and microphone in headliner
Interior	
	4-Way Driver Seat -inc: Manual Fore/Aft Movement
	4-Way Passenger Seat -inc: Manual Fore/Aft Movement
	60-40 Folding Split-Bench Front Facing Fold-Up Cushion Rear Seat
	Manual Tilt/Telescoping Steering Column
	Gauges -inc: Speedometer, Odometer, Oil Pressure, Engine Coolant Temp, Tachometer, Transmission Fluid Temp, Engine Hour Meter, Trip Odometer and Trip Computer
	Power Rear Windows
	Rear Cupholder
	Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
	Cruise Control w/Steering Wheel Controls
	Manual Air Conditioning
	HVAC -inc: Underseat Ducts
	Illuminated Locking Glove Box

Current report content is based on Data Version 8452, 29-Dec-2018 10:07:00 PST PM. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Chrome Data reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



2019 Ford Super Duty F-550 DRW (X5H) XLT 4WD SuperCab 192" WB 84" CA

14	
nterior	
	Full Cloth Headliner
	Urethane Gear Shift Knob
	Interior Trim -inc: Metal-Look Instrument Panel Insert and Chrome Interior Accents
	Cloth 40/20/40 Split Bench Seat w/Recline -inc: fold down centre armrest w/2 cupholders, lift up centre-seat w/locking storage, powerpoint, driver's side manual lumbar and 4-way adjustable driver and passenger headrests
	Day-Night Rearview Mirror
	Driver And Passenger Visor Vanity Mirrors
	3 12V DC Power Outlets
	Full Overhead Console w/Storage and 3 12V DC Power Outlets
	Front Map Lights
	Fade-To-Off Interior Lighting
	Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
	Underhood Lights
	Instrument Panel Bin, Dashboard Storage, Driver / Passenger And Rear Door Bins
	Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
	Delayed Accessory Power
	Power Door Locks
	Systems Monitor
	Trip Computer
	Outside Temp Gauge
	Analog Display
	Seats w/Cloth Back Material
	Manual w/Tilt Front Head Restraints and Manual Adjustable Rear Head Restraints
	2 Seatback Storage Pockets
	Securilock Anti-Theft Ignition (pats) Engine Immobilizer
	Perimeter Alarm
	Air Filtration
Safety-Mechanical	
	Driveline Traction Control
Safety-Exterior	
	Side Impact Beams

Current report content is based on Data Version 8452, 29-Dec-2018 10:07:00 PST PM. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Chrome Data reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



2019 Ford Super Duty F-550 DRW (X5H) XLT 4WD SuperCab 192" WB 84" CA

Safety-Interior	
	Dual Stage Driver And Passenger Seat-Mounted Side Airbags
	Dual Stage Driver And Passenger Front Airbags w/Passenger Off Switch
	Mykey System -inc: Top Speed Limiter, Audio Volume Limiter, Early Low Fuel Warning, Programmable Sound Chimes and Beltminder w/Audio Mute
	Outboard Front Lap And Shoulder Safety Belts -inc: Height Adjusters
	Safety Canopy System Curtain 1st And 2nd Row Airbags





2019 Ford Super Duty F-550 DRW (X5H) XLT 4WD SuperCab 192" WB 84" CA

Technical Specifications

Po	wertrain			
Tr	ansmission			
	Drivetrain	Four Wheel Drive	Trans Order Code	44W
	Trans Type	6	Trans Description Cont.	Automatic w/OD
	Trans Description Cont. Again	N/A	First Gear Ratio (:1)	3.97
	Second Gear Ratio (:1)	2.32	Third Gear Ratio (:1)	1.52
	Fourth Gear Ratio (:1)	1.15	Fifth Gear Ratio (:1)	0.86
	Sixth Gear Ratio (:1)	0.67	Reverse Ratio (:1)	3.13
	Clutch Size	N/A	Trans Power Take Off	Yes
	Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	Electronic
	Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	N/A
	Transfer Case Power Take Off	Yes		
м	ileage			
141				
	EnerGuide Estimate - City	N/A	EnerGuide Estimate - Hwy	N/A
	Cruising Range - City	N/A	Cruising Range - Hwy	N/A
Er	ngine			
	Engine Order Code	99T	Engine Type	Intercooled Turbo Diesel V-8
	Displacement	6.7 L/406	Fuel System	Diesel Direct Injection
	SAE Net Horsepower @ RPM	330 @ 2600	SAE Net Torque @ RPM	750 @ 2000
	Engine Oil Cooler	None		
EI	ectrical			
	Cold Cranking Amps @ 0° F (Primary)	750	Cold Cranking Amps @ 0° F (2nd)	750
	Maximum Alternator Capacity (amps)	377	Cold Cranking Amps @ 0° F (3rd)	N/A
Co	poling System			
	Total Cooling System Capacity	N/A		

Current report content is based on Data Version 8452, 29-Dec-2018 10:07:00 PST PM. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Chrome Data reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



2019 Ford Super Duty F-550 DRW (X5H) XLT 4WD SuperCab 192" WB 84" CA

·	- ,	•	
Vehicle			
Emissions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	N/A
Chassis			
Weight Information		4	
Standard Weight - Front	0 kg	Standard Weight - Rear	0 kg
Gross Axle Wt Rating - Front	2,721.6 kg	Gross Axle Wt Rating - Rear	6,670.64 kg
Curb Weight - Front	1,956.83 kg	Curb Weight - Rear	1,428.39 kg
Option Weight - Front	295.29 kg	Option Weight - Rear	74.84 kg
Reserve Axle Capacity - Front	469.48 kg	Reserve Axle Capacity - Rear	5,167.41 kg
As Spec'd Curb Weight	3,755.35 kg	As Spec'd Payload	5,089.85 kg
Maximum Payload Capacity	5,459.98 kg	Gross Combined Wt Rating	18,144 kg
Gross Axle Weight Rating	9,392.24 kg	Curb Weight	3,385.22 kg
Reserve Axle Capacity	5,636.89 kg	Total Option Weight	370.14 kg
Payload Weight Front	0 kg	Payload Weight Rear	0 kg
Gross Vehicle Weight Rating	8,845.2 kg		
Frame	7		
Frame Type	N/A	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A	ae C. egu	
Suspension			
Ouspension			
Suspension Type - Front	Other	Suspension Type - Rear	Leaf
	Other 2,721.6 kg	Suspension Type - Rear Spring Capacity - Rear	Leaf 6,804 kg
Suspension Type - Front			
Suspension Type - Front Spring Capacity - Front	2,721.6 kg	Spring Capacity - Rear	6,804 kg
Suspension Type - Front Spring Capacity - Front Axle Type - Front	2,721.6 kg Non-Independent	Spring Capacity - Rear Axle Type - Rear	6,804 kg Rigid Axle
Suspension Type - Front Spring Capacity - Front Axle Type - Front Axle Capacity - Front	2,721.6 kg Non-Independent 3,175.2 kg	Spring Capacity - Rear Axle Type - Rear Axle Capacity - Rear	6,804 kg Rigid Axle 6,670.64 kg
Suspension Type - Front Spring Capacity - Front Axle Type - Front Axle Capacity - Front Axle Ratio (:1) - Front	2,721.6 kg Non-Independent 3,175.2 kg 4.88	Spring Capacity - Rear Axle Type - Rear Axle Capacity - Rear Axle Ratio (:1) - Rear	6,804 kg Rigid Axle 6,670.64 kg 4.88
Suspension Type - Front Spring Capacity - Front Axle Type - Front Axle Capacity - Front Axle Ratio (:1) - Front Shock Absorber Diameter - Front	2,721.6 kg Non-Independent 3,175.2 kg 4.88 N/A	Spring Capacity - Rear Axle Type - Rear Axle Capacity - Rear Axle Ratio (:1) - Rear Shock Absorber Diameter - Rear	6,804 kg Rigid Axle 6,670.64 kg 4.88 N/A

Current report content is based on Data Version 8452, 29-Dec-2018 10:07:00 PST PM. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Chrome Data reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



2019 Ford Super Duty F-550 DRW (X5H) XLT 4WD SuperCab 192" WB 84" CA

Chassis			
Tires			
Spare Tire Order Code	N/A	Front Tire Size	LT225/70SR19.5
Rear Tire Size	LT225/70SR19.5	Spare Tire Size	N/A
Front Tire Capacity	3,402 kg	Rear Tire Capacity	6,804 kg
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	647 Rev/Mile
Revolutions/Mile @ 45 mph - Rear	645 Rev/Mile	Revolutions/Mile @ 45 mph - Spare	N/A
Wheels			
Front Wheel Size	19.5 X 6 mm	Rear Wheel Size	19.5 X 6 mm
Spare Wheel Size	N/A	Front Wheel Material	Steel
Rear Wheel Material	Steel	Spare Wheel Material	N/A
	4	7	
Steering			
Steering Type	Re-Circulating Ball	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	16.52 m
Turning Diameter - Wall to Wall	N/A		
Brakes			
Brake Type	4-Wheel Disc	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	4-Wheel	Disc - Front (Yes or)	Yes
Brake ABS System (Second Line) Disc - Rear (Yes or)	4-Wheel Yes	Disc - Front (Yes or) Front Brake Rotor Diam x Thickness	Yes 391.16 mm
		· · ·	
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	391.16 mm
Disc - Rear (Yes or) Rear Brake Rotor Diam x Thickness Rear Drum Diam x Width	Yes 398.78 mm	Front Brake Rotor Diam x Thickness	391.16 mm
Disc - Rear (Yes or) Rear Brake Rotor Diam x Thickness Rear Drum Diam x Width Fuel Tank	Yes 398.78 mm N/A	Front Brake Rotor Diam x Thickness Drum - Rear (Yes or)	391.16 mm N/A
Disc - Rear (Yes or) Rear Brake Rotor Diam x Thickness Rear Drum Diam x Width Fuel Tank Fuel Tank Capacity, Approx	Yes 398.78 mm N/A	Front Brake Rotor Diam x Thickness Drum - Rear (Yes or) Aux Fuel Tank Capacity, Approx	391.16 mm N/A N/A
Disc - Rear (Yes or) Rear Brake Rotor Diam x Thickness Rear Drum Diam x Width Fuel Tank	Yes 398.78 mm N/A	Front Brake Rotor Diam x Thickness Drum - Rear (Yes or)	391.16 mm N/A
Disc - Rear (Yes or) Rear Brake Rotor Diam x Thickness Rear Drum Diam x Width Fuel Tank Fuel Tank Capacity, Approx	Yes 398.78 mm N/A	Front Brake Rotor Diam x Thickness Drum - Rear (Yes or) Aux Fuel Tank Capacity, Approx	391.16 mm N/A N/A
Disc - Rear (Yes or) Rear Brake Rotor Diam x Thickness Rear Drum Diam x Width Fuel Tank Fuel Tank Capacity, Approx Fuel Tank Location	Yes 398.78 mm N/A	Front Brake Rotor Diam x Thickness Drum - Rear (Yes or) Aux Fuel Tank Capacity, Approx	391.16 mm N/A N/A
Disc - Rear (Yes or) Rear Brake Rotor Diam x Thickness Rear Drum Diam x Width Fuel Tank Fuel Tank Capacity, Approx Fuel Tank Location Dimensions	Yes 398.78 mm N/A	Front Brake Rotor Diam x Thickness Drum - Rear (Yes or) Aux Fuel Tank Capacity, Approx	391.16 mm N/A N/A
Disc - Rear (Yes or) Rear Brake Rotor Diam x Thickness Rear Drum Diam x Width Fuel Tank Fuel Tank Capacity, Approx Fuel Tank Location Dimensions Interior Dimensions	Yes 398.78 mm N/A 151.4 L N/A	Front Brake Rotor Diam x Thickness Drum - Rear (Yes or) Aux Fuel Tank Capacity, Approx Aux Fuel Tank Location	391.16 mm N/A N/A N/A

Current report content is based on Data Version 8452, 29-Dec-2018 10:07:00 PST PM. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Chrome Data reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



2019 Ford Super Duty F-550 DRW (X5H) XLT 4WD SuperCab 192" WB 84" CA

mensions			
nterior Dimensions			
Second Leg Room	850.9 mm	Second Shoulder Room	1,671.32 mm
Second Hip Room	1,643.38 mm		
exterior Dimensions		4	
Wheelbase	4,876.8 mm	Length, Overall w/o rear bumper	7,045.96 mm
Length, Overall	N/A	Width, Max w/o mirrors	2,032 mm
Height, Overall	2,077.72 mm	Overhang, Front	972.82 mm
Overhang, Rear w/o bumper	1,198.88 mm	Front Bumper to Back of Cab	N/A
Cab to Axle	2,133.6 mm	Cab to End of Frame	3,332.48 mm
Ground to Top of Load Floor	N/A	Ground to Top of Frame	N/A
Frame Width, Rear	868.68 mm	Ground Clearance, Front	208.28 mm
Ground Clearance, Rear	208.28 mm	Body Length	0 m
Cab to Body	N/A		
Cargo Area Dimensions			
Cargo Box Width @ Top, Rear	N/A	Cargo Box Width @ Floor	N/A
Cargo Box Width @ Wheelhousings	N/A	Cargo Box (Area) Height	N/A
Tailgate Width	N/A	Cargo Volume	N/A
Ext'd Cab Cargo Volume	N/A		

Current report content is based on Data Version 8452, 29-Dec-2018 10:07:00 PST PM. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Chrome Data reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.

Page 10 30-Dec-2018