

# **Window Sticker**

SUMM	IARY		
	[Retail] 2019 Ford Transit V	/an (R2C) T-250 148" Med Rf 9000 GVWR Sliding RH Dr	MSRP:\$42,069.00
	Interior:Charcoal Black, Clo	th Front Bucket Seats	
	Exterior 1:Oxford White		
	Exterior 2:No colour has be	en selected.	
	Engine: 3.2L Powerstroke I	5 Diesel	
	Transmission: 6-Speed Aut	omatic w/OD & SelectShift	
OPTIC	NS		
	CODE	MODEL	MSRP
	R2C	[Retail] 2019 Ford Transit Van (R2C) T-250 148" Med Rf 9000 GVWR Sliding RH Dr	\$42,069.00
		OPTIONS	
	101A	Order Code 101A	\$0.00
	16E	Front & Rear Vinyl Floor Covering	Inc.
	18D	Exterior Upgrade Package	\$360.00
	21M	Charcoal Black Cloth Dual Bucket Seats	\$60.00
	43R	Reverse Sensing System	\$510.00
	446	Transmission: 6-Speed Automatic w/OD & SelectShift	\$0.00
	542	Short-Arm Htd Power Folding Mirrors w/Turn Signals	\$255.00
	58X	Radio: AM/FM Stereo w/Single CD	\$900.00
	60C	Cruise Control w/Message Centre	Inc.
	63E	Dual Heavy-Duty Batteries	Inc.
	64H	Wheels: 16" Steel w/Full Silver Cover	Inc.
	86F	2 Additional Keys (4 Total)	\$65.00
	91G	6 Speakers (4 Front/2 Rear)	Inc.
	96D	Load Area Protection Package (Full Height)	\$250.00
	99V	Engine: 3.2L Powerstroke I5 Diesel	\$5,995.00
	СВ	Charcoal Black, Cloth Front Bucket Seats	\$0.00
	X7L	3.73 Limited-Slip Axle Ratio	\$370.00
	YZ	Oxford White	\$0.00
		Federal air conditioning excise tax	\$100.00



	SUBTOTAL		\$50,834.00
			<b>\$50,834.00</b> \$0.00
	Adjustments Total		
	Total Tax		\$100.00
	Destination Charge		\$1,900.00
	TOTAL PRICE		\$52,834.00
FUEL ECONOMY			
Est City:N/A			
Est Highway:N/A			
Est Highway Cruising Rang	ge:N/A		



## **Standard Equipment**

Mechanical	
	Engine: 3.7L Ti-VCT V6 -inc: SEIC capability (STD)
	Transmission: 6-Speed Automatic w/OD & SelectShift -inc: auxiliary transmission oil cooler (STD)
	3.73 Axle Ratio (STD)
	Rear-Wheel Drive
	Engine Oil Cooler
	Block Heater
	70-Amp/Hr Maintenance-Free Battery w/Run Down Protection
	150 Amp Alternator
	1724kg Maximum Payload
	GVWR: 9,000 lbs
	HD Shock Absorbers
	Front Anti-Roll Bar
	Hydraulic Power-Assist Steering
	95 L Fuel Tank
	Single Stainless Steel Exhaust
	Strut Front Suspension w/Coil Springs
	Leaf Rear Suspension w/Leaf Springs
	4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist and Hill Hold Control
Exterior	
	Wheels: 16" Steel w/Black Centre Hubcap
	Tires: 235/65R16C AS BSW
	Steel Spare Wheel
	Full-Size Spare Tire Stored Underbody w/Crankdown
	Clearcoat Paint
	Black Front Bumper
	Black Rear Bumper w/1 Tow Hook
	Black Bodyside Cladding and Black Wheel Well Trim
	Black Side Windows Trim and Black Front Windshield Trim
	Black Door Handles
	Black Side Mirrors w/Convex Spotter and Manual Folding
	Short-Arm Power Mirrors



<b>F</b> ort and a n	
Exterior	
	Light Tinted Glass
	Variable Intermittent Wipers
	Fully Galvanized Steel Panels
	Black Grille
	Split Swing-Out Rear Cargo Access
	Sliding Rear Passenger Side Door
	Tailgate/Rear Door Lock Included w/Power Door Locks
	Aero-Composite Halogen Headlamps
	Laminated Glass
Entertainment	
	Radio w/Seek-Scan and Clock
	Radio: AM/FM Stereo -inc: (18), audio input jack
	Fixed Antenna
	4 Front Speakers -inc: Note: No rear speakers
	1 LCD Monitor In The Front
Interior	
	Pewter Vinyl Dual Bucket Seats -inc: 2-way manual driver seat, 2-way manual passenger seat and driver armrest (STD)
	Driver Seat
	Passenger Seat
	Manual Tilt/Telescoping Steering Column
	Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer and Trip Odometer
	Front Cupholder
	Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
	Manual Air Conditioning
	Locking Glove Box
	Driver Foot Rest
	Interior Trim -inc: Metal-Look Instrument Panel Insert
	Front Cloth Headliner
	Urethane Gear Shift Knob
	Vinyl Front Bucket Seats
	Day-Night Rearview Mirror



### [Retail] 2019 Ford Transit Van (R2C) T-250 148" Med Rf 9000 GVWR Sliding RH Dr

Interior	
	Partial Floor Console w/Storage, Full Overhead Console w/Storage and 3 12V DC Power Outlets
	Front Map Lights
	Fade-To-Off Interior Lighting
	Front Only Vinyl/Rubber Floor Covering
	Cargo Space Lights
	Instrument Panel Bin, Driver And Passenger Door Bins
	Power 1st Row Windows w/Driver 1-Touch Down
	Power Door Locks w/Autolock Feature
	Analog Display
	Manual Adjustable Front Head Restraints
	Securilock Anti-Theft Ignition (pats) Engine Immobilizer
	3 12V DC Power Outlets
Safety-Mechanical	
	Electronic Stability Control (ESC) And Roll Stability Control (RSC)
	ABS And Driveline Traction Control
Safety-Exterior	
	Side Impact Beams
Safety-Interior	
	Dual Stage Driver And Passenger Seat-Mounted Side Airbags
	Low Tire Pressure Warning
	Dual Stage Driver And Passenger Front Airbags w/Passenger Off Switch
	Safety Canopy System Curtain 1st Row Airbags
	Airbag Occupancy Sensor
	Outboard Front Lap And Shoulder Safety Belts -inc: Height Adjusters and Pretensioners
	Back-Up Camera
WARRANTY	
	Basic Years: 3   Basic Miles/km: 60,000   Drivetrain Years: 5   Drivetrain Miles/km: 100,000   Corrosion Years: 5   Corrosion Miles/km: Unlimited   Roadside Assistance Years: 5   Roadside Assistance Miles/km: 100,000

[Retail] 2019 Ford Transit Van (R2C) T-250 148" Med Rf 9000 GVWR Sliding RH Dr

# **Technical Specifications**

#### Powertrain

Drivetrain	Rear Wheel Drive	Trans Order Code	446
Trans Type	6	Trans Description Cont.	Automatic w/OD
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.17
Second Gear Ratio (:1)	2.34	Third Gear Ratio (:1)	1.52
Fourth Gear Ratio (:1)	1.14	Fifth Gear Ratio (:1)	0.86
Sixth Gear Ratio (:1)	0.69	Reverse Ratio (:1)	3.40
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	None
Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	No		
ileage			
EnerGuide Estimate - City	N/A	EnerGuide Estimate - Hwy	N/A
Cruising Range - City	N/A	Cruising Range - Hwy	N/A
ngine			
Engine Order Code	99V	Engine Type	Intercooled Turk Diesel I-5
Displacement	3.2 L/195	Fuel System	Diesel Injection
SAE Net Horsepower @ RPM	185 @ 3000	SAE Net Torque @ RPM	350 @ 1500
Engine Oil Cooler	Regular Duty		
lectrical			
Cold Cranking Amps @ 0° F (Primary)	N/A	Cold Cranking Amps @ 0° F (2nd)	N/A
Maximum Alternator Capacity (amps)	150	Cold Cranking Amps @ 0° F (3rd)	N/A
ooling System			
Total Cooling System Capacity	N/A		
hicle			
nissions			

performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Chrome Data reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



### [Retail] 2019 Ford Transit Van (R2C) T-250 148" Med Rf 9000 GVWR Sliding RH Dr

hicle			
ehicle			
Rear Door Type	Split Swing-Out		
assis			
leight Information			
Standard Weight - Front	0.00 lbs	Standard We <mark>ight</mark> - Rear	0.00 lbs
Gross Axle Wt Rating - Front	4130 lbs	Gross Axle Wt Rating - Rear	5515 lbs
Curb Weight - Front	2944 lbs	Curb Weight - Rear	2199 lbs
Option Weight - Front	91.00 lbs	Option Weight - Rear	374.00 lbs
Reserve Axle Capacity - Front	1095.00 lbs	Reserve Axle Capacity - Rear	2942.00 lbs
As Spec'd Curb Weight	5608.00 lbs	As Spec'd Payload	3392.00 lbs
Maximum Payload Capacity	3857.00 lbs	Gross Combined Wt Rating	10800 lbs
Gross Axle Weight Rating	9645.00 lbs	Curb Weight	5143.00 lbs
Reserve Axle Capacity	4037.00 lbs	Total Option Weight	465.00 lbs
Payload Weight Front	0 lbs	Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	9000.00 lbs		
rame			
Frame Type	N/A	Sect Modulus Rails Only	N/A
Frame RBM	N/A		IN/71
		Frama Strangth	NI/A
Eramo Thickness		Frame Strength	N/A
Frame Thickness	N/A	Frame Strength	N/A
Frame Thickness uspension		Frame Strength	N/A
		Frame Strength Suspension Type - Rear	N/A Leaf
uspension	N/A		
uspension Suspension Type - Front	N/A Strut	Suspension Type - Rear	Leaf
uspension Suspension Type - Front Spring Capacity - Front	N/A Strut 4130 lbs	Suspension Type - Rear Spring Capacity - Rear	Leaf 5515 lbs
uspension Suspension Type - Front Spring Capacity - Front Axle Type - Front	N/A Strut 4130 lbs Independent	Suspension Type - Rear Spring Capacity - Rear Axle Type - Rear	Leaf 5515 lbs Rigid Axle
uspension Suspension Type - Front Spring Capacity - Front Axle Type - Front Axle Capacity - Front	N/A Strut 4130 lbs Independent 4130 lbs	Suspension Type - Rear Spring Capacity - Rear Axle Type - Rear Axle Capacity - Rear	Leaf 5515 lbs Rigid Axle 5515 lbs
uspension Suspension Type - Front Spring Capacity - Front Axle Type - Front Axle Capacity - Front Axle Ratio (:1) - Front	N/A Strut 4130 lbs Independent 4130 lbs 3.73	Suspension Type - Rear Spring Capacity - Rear Axle Type - Rear Axle Capacity - Rear Axle Ratio (:1) - Rear	Leaf 5515 lbs Rigid Axle 5515 lbs 3.73
uspension Suspension Type - Front Spring Capacity - Front Axle Type - Front Axle Capacity - Front Axle Ratio (:1) - Front Shock Absorber Diameter - Front	N/A Strut 4130 lbs Independent 4130 lbs 3.73 N/A	Suspension Type - Rear Spring Capacity - Rear Axle Type - Rear Axle Capacity - Rear Axle Ratio (:1) - Rear Shock Absorber Diameter - Rear	Leaf 5515 lbs Rigid Axle 5515 lbs 3.73 N/A



### [Retail] 2019 Ford Transit Van (R2C) T-250 148" Med Rf 9000 GVWR Sliding RH Dr

#### Chassis

Tires			
Spare Tire Order Code	N/A	Front Tire Size	LT235/65SR16
Rear Tire Size	LT235/65SR16	Spare Tire Size	Full-Size
Front Tire Capacity	6394 lbs	Rear Tire Capacity	5996 lbs
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	720 Rev/Mile
Revolutions/Mile @ 45 mph - Rear	720 Rev/Mile	Revolutions/Mile @ 45 mph - Spare	N/A
Wheels			
Front Wheel Size	16 X 7 in	Rear Wheel Size	16 X 7 in
Spare Wheel Size	Full-Size in	Front Wheel Material	Steel
Rear Wheel Material	Steel	Spare Wheel Material	Steel
Steering			
Steering Type	Rack-Pinion	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	48 ft
Turning Diameter - Wall to Wall	N/A		
Brakes			
Brake Type	4-Wheel Disc	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	4-Wheel	Disc - Front (Yes or )	Yes
Disc - Rear (Yes or )	Yes	Front Brake Rotor Diam x Thickness	12.1 in
Rear Brake Rotor Diam x Thickness	12.1 in	Drum - Rear (Yes or )	N/A
Rear Drum Diam x Width	N/A		
Fuel Tank			
Fuel Tank Capacity, Approx	95 gal	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
Dimensions			
Interior Dimensions			
Passenger Capacity	2	Front Head Room	52 in
Front Leg Room	39.7 in	Front Shoulder Room	67.9 in
Front Hip Room	67.5 in	Second Head Room	N/A
Second Leg Room	N/A	Second Shoulder Room	N/A



### [Retail] 2019 Ford Transit Van (R2C) T-250 148" Med Rf 9000 GVWR Sliding RH Dr

or Dimensions			
	N/A		
Second Hip Room	N/A		
erior Dimensions			
Wheelbase	147.6 in	Length, Overall w/rear bumper	237.6 in
Length, Overall	N/A	Width, Max w/o mirrors	81.3 in
Height, Overall	100.7 in	Overhang, Front	N/A
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
Cab to Axle	N/A	Cab to End of Frame	N/A
Ground to Top of Load Floor	28.7 in	Ground to Top of Frame	N/A
Frame Width, Rear	N/A	Ground Clearance, Front	N/A
Ground Clearance, Rear	N/A	Body Length	0.00 ft
Rear Door Opening Height	N/A	Rear Door Opening Width	N/A
Side Door Opening Height	N/A	Side Door Opening Width	N/A
Step Up Height - Front	N/A	Step Up Height - Side	N/A
Cab to Body	N/A		
go Area Dimensions	N/A	Cargo Area Length @ Floor to Seat 1	143.7 ir
Cargo Area Length @ Floor to Console			
Cargo Box Width @ Top, Rear	N/A	Cargo Area Width @ Beltline	70.2 in
Cargo Box Width @ Floor	N/A	Cargo Box Width @ Wheelhousings	54.8 in
Cargo Box (Area) Height	72 in	Tailgate Width	N/A
Cargo Volume	357.1 ft <sup>3</sup>	Ext'd Cab Cargo Volume	N/A
erior	<b>*</b>		
ors and the second s			



#### Weight Ratings

