


[Retail] 2019 Ford Transit Van (R2C) T-250 148" Med Rf 9000 GVWR Sliding RH Dr

Window Sticker

SUMMARY		
[Retail] 2	019 Ford Transit Van (R2C) T-250 148" Med Rf 9000 GVWR Sliding	g RH Dr
Interior:	Pewter, Vinyl Front Bucket Seats	
	1:Oxford White	
	2:No colour has been selected.	
	3.7L Ti-VCT V6	
Ū.	ssion: 6-Speed Automatic w/OD & SelectShift	
OPTIONS		
CODE	MODEL	MSRP
R2C	[Retail] 2019 Ford Transit Van (R2C) T-250 148 GVWR Sliding RH Dr	
	OPTIONS	
101A	Order Code 101A	\$0.00
16E	Front & Rear Vinyl Floor Covering	\$225.00
21G	Pewter Vinyl Dual Bucket Seats	\$0.00
43R	Reverse Sensing System	\$510.00
446	Transmission: 6-Speed Automatic w/OD & Select	ctShift \$0.00
542	Short-Arm Htd Power Folding Mirrors w/Turn Sig	gnals \$255.00
58X	Radio: AM/FM Stereo w/Single CD	\$900.00
60C	Cruise Control w/Message Centre	\$330.00
86F	2 Additional Keys (4 Total)	\$65.00
91G	6 Speakers (4 Front/2 Rear)	Inc.
99M	Engine: 3.7L Ti-VCT V6	Inc.
VK	Pewter, Vinyl Front Bucket Seats	\$0.00
X73	3.73 Axle Ratio	Inc.
YZ	Oxford White	\$0.00
	Federal air conditioning excise tax	\$100.00
	SUBTOTAL	\$44,354.00
	Adjustments Total	\$0.00
	Total Tax	\$100.00
	Destination Charge	\$1,900.00



[Retail] 2019 Ford Transit Van (R2C) T-250 148" Med Rf 9000 GVWR Sliding RH Dr





[Retail] 2019 Ford Transit Van (R2C) T-250 148" Med Rf 9000 GVWR Sliding RH Dr

Standard Equipment

Mechanical	
	Engine: 3.7L Ti-VCT V6 -inc: SEIC capability (STD)
	Transmission: 6-Speed Automatic w/OD & SelectShift -inc: auxiliary transmission oil cooler (STD)
	3.73 Axle Ratio (STD)
	Rear-Wheel Drive
	Engine Oil Cooler
	Block Heater
	70-Amp/Hr Maintenance-Free Battery w/Run Down Protection
	150 Amp Alternator
	1724kg Maximum Payload
	GVWR: 9,000 lbs
	HD Shock Absorbers
	Front Anti-Roll Bar
	Hydraulic Power-Assist Steering
	95 L Fuel Tank
	Single Stainless Steel Exhaust
	Strut Front Suspension w/Coil Springs
	Leaf Rear Suspension w/Leaf Springs
	4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist and Hill Hold Control
Exterior	
	Wheels: 16" Steel w/Black Centre Hubcap
	Tires: 235/65R16C AS BSW
	Steel Spare Wheel
	Full-Size Spare Tire Stored Underbody w/Crankdown
	Clearcoat Paint
	Black Front Bumper
	Black Rear Bumper w/1 Tow Hook
	Black Bodyside Cladding and Black Wheel Well Trim
	Black Side Windows Trim and Black Front Windshield Trim
	Black Door Handles
	Black Side Mirrors w/Convex Spotter and Manual Folding
	Short-Arm Power Mirrors



[Retail] 2019 Ford Transit Van (R2C) T-250 148" Med Rf 9000 GVWR Sliding RH Dr

F ort and a n	
Exterior	
	Light Tinted Glass
	Variable Intermittent Wipers
	Fully Galvanized Steel Panels
	Black Grille
	Split Swing-Out Rear Cargo Access
	Sliding Rear Passenger Side Door
	Tailgate/Rear Door Lock Included w/Power Door Locks
	Aero-Composite Halogen Headlamps
	Laminated Glass
Entertainment	
	Radio w/Seek-Scan and Clock
	Radio: AM/FM Stereo -inc: (18), audio input jack
	Fixed Antenna
	4 Front Speakers -inc: Note: No rear speakers
	1 LCD Monitor In The Front
Interior	
	Pewter Vinyl Dual Bucket Seats -inc: 2-way manual driver seat, 2-way manual passenger seat and driver armrest (STD)
	Driver Seat
	Passenger Seat
	Manual Tilt/Telescoping Steering Column
	Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer and Trip Odometer
	Front Cupholder
	Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
	Manual Air Conditioning
	Locking Glove Box
	Driver Foot Rest
	Interior Trim -inc: Metal-Look Instrument Panel Insert
	Front Cloth Headliner
	Urethane Gear Shift Knob
	Vinyl Front Bucket Seats
	Day-Night Rearview Mirror



[Retail] 2019 Ford Transit Van (R2C) T-250 148" Med Rf 9000 GVWR Sliding RH Dr

Interior	
	Partial Floor Console w/Storage, Full Overhead Console w/Storage and 3 12V DC Power Outlets
	Front Map Lights
	Fade-To-Off Interior Lighting
	Front Only Vinyl/Rubber Floor Covering
	Cargo Space Lights
	Instrument Panel Bin, Driver And Passenger Door Bins
	Power 1st Row Windows w/Driver 1-Touch Down
	Power Door Locks w/Autolock Feature
	Analog Display
	Manual Adjustable Front Head Restraints
	Securilock Anti-Theft Ignition (pats) Engine Immobilizer
	3 12V DC Power Outlets
Safety-Mechanical	
	Electronic Stability Control (ESC) And Roll Stability Control (RSC)
	ABS And Driveline Traction Control
Safety-Exterior	
	Side Impact Beams
Safety-Interior	
	Dual Stage Driver And Passenger Seat-Mounted Side Airbags
	Low Tire Pressure Warning
	Dual Stage Driver And Passenger Front Airbags w/Passenger Off Switch
	Safety Canopy System Curtain 1st Row Airbags
	Airbag Occupancy Sensor
	Outboard Front Lap And Shoulder Safety Belts -inc: Height Adjusters and Pretensioners
	Back-Up Camera
WARRANTY	
	Basic Years: 3 Basic Miles/km: 60,000 Drivetrain Years: 5 Drivetrain Miles/km: 100,000 Corrosion Years: 5 Corrosion Miles/km: Unlimited Roadside Assistance Years: 5 Roadside Assistance Miles/km: 100,000

4

[Retail] 2019 Ford Transit Van (R2C) T-250 148" Med Rf 9000 GVWR Sliding RH Dr

Technical Specifications

Chassis

Weight Information

Standard Weight - Front0.00 lbsGross Axle Wt Rating - Front4130 lbsCurb Weight - Front2944 lbsOption Weight - Front9.00 lbsReserve Axle Capacity - Front1177.00 lbs	Standard Weight - Rear Gross Axle Wt Rating - Rear Curb Weight - Rear Option Weight - Rear	0.00 lbs 5515 lbs 2199 lbs
Curb Weight - Front2944 lbsOption Weight - Front9.00 lbs	Curb Weight - Rear	2199 lbs
Option Weight - Front 9.00 lbs		
	Option Weight - Rear	
Reserve Axle Capacity - Front 1177.00 lbs		29.00 lbs
	Reserve Axle Capacity - Rear	3287.00 lbs
As Spec'd Curb Weight 5181.00 lbs	As Spec'd Payload	3819.00 lbs
Maximum Payload Capacity 3857.00 lbs	Gross Combined Wt Rating	10800 lbs
Gross Axle Weight Rating 9645.00 lbs	Curb Weight	5143.00 lbs
Reserve Axle Capacity 4464.00 lbs	Total Option Weight	38.00 lbs
Payload Weight Front 0 lbs	Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating 9000.00 lbs		
ame		
Frame Type N/A	Sect Modulus Rails Only	N/A
Frame RBM N/A	Frame Strength	N/A
Frame Thickness N/A		
spension		
Suspension Type - Front Strut	Suspension Type - Rear	Leaf
Spring Capacity - Front 4130 lbs	Spring Capacity - Rear	5515 lbs
Axle Type - Front Independent	Axle Type - Rear	Rigid Axle
Axle Capacity - Front 4130 lbs	Axle Capacity - Rear	5515 lbs
Axle Ratio (:1) - Front 3.73	Axle Ratio (:1) - Rear	3.73
Shock Absorber Diameter - Front N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front N/A	Stabilizer Bar Diameter - Rear	N/A
es		
Front Tire Order Code N/A	Rear Tire Order Code	N/A
Spare Tire Order Code N/A	Front Tire Size	LT235/65SR16
Rear Tire Size LT235/65SR16	Spare Tire Size	Full-Size

Current report content is based on Data Version 10190, 5-Aug-2019 9:44:00 PDT PM. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Chrome Data reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.

Rear Tire Capacity

6394 lbs

Front Tire Capacity

5996 lbs



[Retail] 2019 Ford Transit Van (R2C) T-250 148" Med Rf 9000 GVWR Sliding RH Dr

Chassis			
Tires			
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	720 Rev/Mile
Revolutions/Mile @ 45 mph - Rear	720 Rev/Mile	Revolutions/Mile @ 45 mph - Spare	N/A
Wheels			
Front Wheel Size	16 X 7 in	Rear Wheel Size	16 X 7 in
Spare Wheel Size	Full-Size in	Front Wheel Material	Steel
Rear Wheel Material	Steel	Spare Wheel Material	Steel
Steering			
Steering Type	Rack-Pinion	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	48 ft
Turning Diameter - Wall to Wall	N/A		
Brakes			
Brake Type	4-Wheel Disc	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	4-Wheel	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	12.1 in
Rear Brake Rotor Diam x Thickness	12.1 in	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		
Fuel Tank			
Fuel Tank Capacity, Approx	95 gal	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
/ehicle			
Emissions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	N/A
Vehicle			
Rear Door Type	Split Swing-Out		
owertrain			
Transmission			
Drivetrain	Rear Wheel Drive	Trans Order Code	446

reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



An Autodata Solutions Brand Sean Lockhart | 416-410-4938 | sean@lockhartautomotive.ca

[Retail] 2019 Ford Transit Van (R2C) T-250 148" Med Rf 9000 GVWR Sliding RH Dr

Powertrain

Transmission			
Trans Type	6	Trans Description Cont.	Automatic w/OD
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.17
Second Gear Ratio (:1)	2.34	Third Gear Ratio (:1)	1.52
Fourth Gear Ratio (:1)	1.14	Fifth Gear Ra <mark>ti</mark> o (:1)	0.86
Sixth Gear Ratio (:1)	0.69	Reverse Ratio (:1)	3.40
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	None
Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	No		
Mileage			
EnerGuide Estimate - City	N/A	EnerGuide Estimate - Hwy	N/A
Cruising Range - City	N/A	Cruising Range - Hwy	N/A
Engine			
	0014		De sude se Unite e de d
Engine Order Code	99M-1	Engine Type	Regular Unleaded V-6
Displacement	3.7 L/228	Fuel System	Sequential MPI
SAE Net Horsepower @ RPM	275 @ 6000	SAE Net Torque @ RPM	260 @ 4000
Engine Oil Cooler	Regular Duty		
Electrical			
Cold Cranking Amps @ 0° F (Primary)	N/A	Cold Cranking Amps @ 0° F (2nd)	N/A
Maximum Alternator Capacity (amps)	150	Cold Cranking Amps @ 0° F (3rd)	N/A
	150	Cold Cranking Amps @ 0° F (3rd)	N/A
Cooling System		Cold Cranking Amps @ 0° F (3rd)	N/A
	150 N/A	Cold Cranking Amps @ 0° F (3rd)	N/A
Cooling System Total Cooling System Capacity		Cold Cranking Amps @ 0° F (3rd)	N/A
Cooling System		Cold Cranking Amps @ 0° F (3rd)	N/A
Cooling System Total Cooling System Capacity Dimensions		Cold Cranking Amps @ 0° F (3rd)	N/A 52 in
Cooling System Total Cooling System Capacity Dimensions Interior Dimensions	N/A		



[Retail] 2019 Ford Transit Van (R2C) T-250 148" Med Rf 9000 GVWR Sliding RH Dr

ensions			
erior Dimensions			
Second Leg Room	N/A	Second Shoulder Room	N/A
Second Hip Room	N/A		
terior Dimensions			
Wheelbase	147.6 in	Length, Over <mark>all w/rear b</mark> umper	237.6 in
Length, Overall	N/A	Width, Max w/o mirrors	81.3 in
Height, Overall	100.7 in	Overhang, Front	N/A
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
Cab to Axle	N/A	Cab to End of Frame	N/A
Ground to Top of Load Floor	28.7 in	Ground to Top of Frame	N/A
Frame Width, Rear	N/A	Ground Clearance, Front	N/A
Ground Clearance, Rear	N/A	Body Length	0.00 ft
Rear Door Opening Height	N/A	Rear Door Opening Width	N/A
Side Door Opening Height	N/A	Side Door Opening Width	N/A
Step Up Height - Front	N/A	Step Up Height - Side	N/A
Cab to Body	N/A		
rgo Area Dimensions			
Cargo Area Length @ Floor to Console	N/A	Cargo Area Length @ Floor to Seat 1	143.7 ir
Cargo Box Width @ Top, Rear	N/A	Cargo Area Width @ Beltline	70.2 in
Cargo Box Width @ Floor	N/A	Cargo Box Width @ Wheelhousings	54.8 in
Cargo Box (Area) Height	72 in	Tailgate Width	N/A
Cargo Volume	357.1 ft ³	Ext'd Cab Cargo Volume	N/A
erior			
oors			
Side Door Type	Sliding		



[Retail] 2019 Ford Transit Van (R2C) T-250 148" Med Rf 9000 GVWR Sliding RH Dr

Weight Ratings

