

Sean Lockhart | 416-410-4938 | sean@lockhartautomotive.ca

Vehicle: [Retail] 2020 Ford F-150 (W1E) XLT 4WD SuperCrew 6.5' Box (✓ Complete)

Window Sticker

SUMMARY

[Retail] 2020 Ford F-150 (W1E) XLT 4WD SuperCrew 6.5' Box

MSRP:\$49,769.00

Interior: Medium Light Camel, Cloth 40/20/40 Front Seat

Exterior 1:Agate Black

Exterior 2:No colour has been selected.

Engine: 5.0L V8

Transmission: Electronic 10-Speed Automatic

O	PT	IC	N	S
U	۲ı	IC	N	5

• • •				
	CODE	MODEL		MSRP
	W1E	[Retail] 2020 Ford F-150 (W1E) XLT 4WD SuperCrew 6.5' Box		\$49,769.00
		OPTIONS		
		Federal air conditioning excise tax		\$100.00
		Monotone Paint Application		\$0.00
	18C	Chrome Step Bars	Inc.	
	301A	Equipment Group 301A Mid		\$2,300.00
	44G	Transmission: Electronic 10-Speed Automatic		\$0.00
	50N	Voice-Activated Navigation		\$800.00
	54R	Manual Folding Power Glass Sideview Heated Mirrors	Inc.	
	55B	BoxLink Cargo Management System	Inc.	
	59R	Remote Start System		\$350.00
	64L	Wheels: 20" Chrome-Like PVD		\$0.00
	86B	XTR Package		\$750.00
	924	Rear Window Fixed Privacy Glass	Inc.	
	995	Engine: 5.0L V8		\$0.00
	MC	Medium Light Camel, Cloth 40/20/40 Front Seat		\$0.00
	T24	Tires: P275/55R20 OWL A/T		\$700.00
	UM	Agate Black		\$0.00
	X27	3.31 Axle Ratio		\$0.00
		SUBTOTAL		\$54,669.00
		Adjustments Total		\$0.00
		Total Tax		\$100.00

Current report content is based on Data Version 11605, 1-Feb-2020 11:08:00 PST PM. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Chrome Data reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



Sean Lockhart | 416-410-4938 | sean@lockhartautomotive.ca

Vehicle: [Retail] 2020 Ford F-150 (W1E) XLT 4WD SuperCrew 6.5' Box (✓ Complete)

Destination Charge \$1,900.00

TOTAL PRICE \$56,669.00

FUEL ECONOMY

Est City:15.1 L/100 km

Est Highway:11.6 L/100 km

Est Highway Cruising Range:729.79 mi

Current report content is based on Data Version 11605, 1-Feb-2020 11:08:00 PST PM. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Chrome Data reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



Sean Lockhart | 416-410-4938 | sean@lockhartautomotive.ca

Vehicle: [Retail] 2020 Ford F-150 (W1E) XLT 4WD SuperCrew 6.5' Box (✓ Complete)

Technical Specifications

Po	wertrain			
т.	ansmission			
11	Drivetrain	Four Wheel Drive	Trans Order Code	44G
	Trans Type	10	Trans Description Cont.	Automatic w/OD
	Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.70
	Second Gear Ratio (:1)	2.98	Third Gear Ratio (:1)	2.15
	Fourth Gear Ratio (:1)	1.77	Fifth Gear Ratio (:1)	1.52
	Sixth Gear Ratio (:1)	1.27	Reverse Ratio (:1)	4.87
	Clutch Size	N/A	Trans Power Take Off	N/A
	Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	Electronic
	Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	N/A
	Transfer Case Power Take Off	No	Seventh Gear Ratio (:1)	1.00
	Eighth Gear Ratio (:1)	0.85	Ninth Gear Ratio (:1)	N/A
	Tenth Gear Ratio (:1)	N/A		
M	ileage			
	EnerGuide Estimate - City	15.1 L/100 km	EnerGuide Estimate - Hwy	11.6 L/100 km
	Cruising Range - City	560.63 mi	Cruising Range - Hwy	729.79 mi
Er	ngine			
	Engine Order Code	995	Engine Type	Regular Unleaded V-8
	Displacement	5.0 L/302	Fuel System	Port/Direct Injection
	SAE Net Horsepower @ RPM	395 @ 5750	SAE Net Torque @ RPM	400 @ 4500
Engine Oil Cooler		None		
EI	ectrical			
	Cold Cranking Amps @ 0° F (Primary)	610	Cold Cranking Amps @ 0° F (2nd)	610
	Maximum Alternator Capacity (amps)	200	Cold Cranking Amps @ 0° F (3rd)	N/A
C	ooling System			
	Total Cooling System Capacity	N/A		

Current report content is based on Data Version 11605, 1-Feb-2020 11:08:00 PST PM. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Chrome Data reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



Vehicle: [Retail] 2020 Ford F-150 (W1E) XLT 4WD SuperCrew 6.5' Box (✓ Complete)

ehicle			
missions			
Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	317
nassis			
Veight Information			
Standard Weight - Front	0.00 lbs	Standard Weight - Rear	0.00 lbs
Gross Axle Wt Rating - Front	3650 lbs	Gross Axle Wt Rating - Rear	3800 lbs
Curb Weight - Front	2984 lbs	Curb Weight - Rear	1929 lbs
Option Weight - Front	52.00 lbs	Option Weight - Rear	52.00 lbs
Reserve Axle Capacity - Front	614.00 lbs	Reserve Axle Capacity - Rear	1819.00 lbs
As Spec'd Curb Weight	5017.00 lbs	As Spec'd Payload	2033.00 lbs
Maximum Payload Capacity	2137.00 lbs	Gross Combined Wt Rating	12400 lbs
Gross Axle Weight Rating	7450.00 lbs	Curb Weight	4913.00 lbs
Reserve Axle Capacity	2433.00 lbs	Total Option Weight	104.00 lbs
Payload Weight Front	0 lbs	Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	7050.00 lbs		
rame Frame Type	N/A	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A	Frame Strength	IN/A
riame inickness	IN/A		
uspension			
Suspension Type - Front	Double Wishbone	Suspension Type - Rear	Leaf
Spring Capacity - Front	3650 lbs	Spring Capacity - Rear	3800 lbs
Axle Type - Front	Independent	Axle Type - Rear	Rigid Axle
Axle Capacity - Front	3750 lbs	Axle Capacity - Rear	4800 lbs
Axle Ratio (:1) - Front	3.31	Axle Ratio (:1) - Rear	3.31
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	N/A	Stabilizer Bar Diameter - Rear	N/A
ires			
Front Tire Order Code	T24	Rear Tire Order Code	T24

Current report content is based on Data Version 11605, 1-Feb-2020 11:08:00 PST PM. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Chrome Data reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



Vehicle: [Retail] 2020 Ford F-150 (W1E) XLT 4WD SuperCrew 6.5' Box (✓ Complete)

T24	Front Tire Size	P275/55SR20
P275/55SR20	Spare Tire Size	Full-Size
3650 lbs	Rear Tire Capacity	4056 lbs
N/A	Revolutions/Mile @ 45 mph - Front	N/A
N/A	Revolutions/Mile @ 45 mph - Spare	N/A
20 X 8.5 in	Rear Wheel Size	20 X 8.5 in
Full-Size in	Front Wheel Material	Aluminum
Aluminum	Spare Wheel Material	Steel
Rack-Pinion	Steering Ratio (:1), On Centre	N/A
N/A	Turning Diameter - Curb to Curb	51.1 ft
4-Wheel Disc	Brake ABS System	4-Wheel
4-Wheel	Disc - Front (Yes or)	Yes
Yes	Front Brake Rotor Diam x Thickness	13.8 in
13.7 in	Drum - Rear (Yes or)	N/A
N/A		
136.3 gal	Aux Fuel Tank Capacity, Approx	N/A
N/A	Aux Fuel Tank Location	N/A
	Front Hood Doom	40.8 in
6	Front Head Room	40.0 111
6 43.9 in	Front Shoulder Room	66.7 in
	P275/55SR20 3650 lbs N/A N/A N/A 20 X 8.5 in Full-Size in Aluminum Rack-Pinion N/A N/A 4-Wheel Disc 4-Wheel Yes 13.7 in N/A	P275/55SR20 Spare Tire Size 3650 lbs Rear Tire Capacity N/A Revolutions/Mile @ 45 mph - Front Revolutions/Mile @ 45 mph - Spare 20 X 8.5 in Rear Wheel Size Full-Size in Front Wheel Material Spare Wheel Material Spare Wheel Material Rack-Pinion Steering Ratio (:1), On Centre Turning Diameter - Curb to Curb N/A 4-Wheel Disc Brake ABS System 4-Wheel Disc - Front (Yes or) Yes Front Brake Rotor Diam x Thickness 13.7 in Drum - Rear (Yes or) N/A Aux Fuel Tank Capacity, Approx

Current report content is based on Data Version 11605, 1-Feb-2020 11:08:00 PST PM. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Chrome Data reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



Vehicle: [Retail] 2020 Ford F-150 (W1E) XLT 4WD SuperCrew 6.5' Box (✓ Complete)

nensions			
erior Dimensions			
Second Hip Room	64.7 in		
terior Dimensions			
Wheelbase	157 in	Length, Overall w/o rear bumper	N/A
Length, Overall	243.7 in	Width, Max w/o mirrors	79.9 i
Height, Overall	77.3 in	Overhang, Front	37.8 i
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
Cab to Axle	N/A	Cab to End of Frame	N/A
Ground to Top of Load Floor	36.1 in	Ground to Top of Frame	N/A
Frame Width, Rear	N/A	Ground Clearance, Front	9.3 in
Ground Clearance, Rear	9.3 in	Body Length	0.00 f
Cab to Body	N/A		
rgo Area Dimensions			
Cargo Box Length @ Floor	78 in	Cargo Box Width @ Top, Rear	65.2 i
Cargo Box Width @ Floor	65.2 in	Cargo Box Width @ Wheelhousings	50.6 i
Cargo Box (Area) Height	21.4 in	Tailgate Width	60.3 i
Cargo Volume	62.3 ft ³	Ext'd Cab Cargo Volume	N/A

Current report content is based on Data Version 11605, 1-Feb-2020 11:08:00 PST PM. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Chrome Data reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.