


Vehicle: [Retail] 2020 Ford Ranger (R4F) XLT 4WD SuperCrew 5' Box ( Complete)

Window Sticker

SUMMARY

[Retail] 2020 Ford Ranger (R4F) XLT 4WD SuperCrew 5' Box

MSRP:\$38,329.00

Interior:Light Stone/Ebony, Front Premium Cloth Bucket Seats

Exterior 1:Oxford White

Exterior 2:No colour has been selected.

Engine: 2.3L EcoBoost

Transmission: Electronic 10-Speed SelectShift Auto

OPTIONS

CODE	MODEL	MSRP
R4F	[Retail] 2020 Ford Ranger (R4F) XLT 4WD SuperCrew 5' Box	\$38,329.00
OPTIONS		
—	Federal air conditioning excise tax	\$100.00
300A	Equipment Group 300A Base	\$0.00
44U	Transmission: Electronic 10-Speed SelectShift Auto	\$0.00
64Y	Wheels: 17" Silver-Painted Aluminum	\$0.00
86S	Tough Bed Spray-In Bedliner	\$600.00
99H	Engine: 2.3L EcoBoost	\$0.00
LH	Light Stone/Ebony, Front Premium Cloth Bucket Seats	\$0.00
TFU	Tires: 255/65R17 A/T BSW	\$0.00
X71	3.73 Axle Ratio	\$0.00
YZ	Oxford White	\$0.00


SUBTOTAL	\$38,929.00
Adjustments Total	\$0.00
Total Tax	\$100.00
Destination Charge	\$1,900.00
TOTAL PRICE	\$40,929.00

FUEL ECONOMY

Est City:11.8 L/100 km

Est Highway:9.8 L/100 km

Est Highway Cruising Range:430.84 mi

Vehicle: [Retail] 2020 Ford Ranger (R4F) XLT 4WD SuperCrew 5' Box ( Complete)

Standard Equipment

Mechanical

Engine: 2.3L EcoBoost -inc: auto start-stop technology (STD)

Transmission: Electronic 10-Speed SelectShift Auto (STD)

3.73 Axle Ratio (STD)

Transmission w/Driver Selectable Mode

Electronic Transfer Case

Part-Time Four-Wheel Drive

Block Heater

70-Amp/Hr 700CCA Maintenance-Free Battery w/Run Down Protection

150 Amp Alternator

Towing Equipment -inc: Trailer Sway Control

Trailer Wiring Harness

1560# Maximum Payload

GVWR: 2,744 kgs (6,050 lbs)

Gas-Pressurized Shock Absorbers

Front Anti-Roll Bar

Electric Power-Assist Speed-Sensing Steering

68 L Fuel Tank

Single Stainless Steel Exhaust

Auto Locking Hubs

Short And Long Arm Front Suspension w/Coil Springs

Leaf Rear Suspension w/Leaf Springs

4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist and Hill Hold Control

Exterior

Wheels: 17" Silver-Painted Aluminum (STD)

Tires: 255/65R17 A/T BSW (STD)

Regular Box Style

Steel Spare Wheel


Full-Size Spare Tire Stored Underbody w/Crankdown

Clearcoat Paint

Body-Coloured Front Bumper w/Body-Coloured Rub Strip/Fascia Accent and 2 Tow Hooks

Body-Coloured Rear Step Bumper

Current report content is based on Data Version 11747, 19-Feb-2020 11:06:00 PST PM. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Chrome Data reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.

Vehicle: [Retail] 2020 Ford Ranger (R4F) XLT 4WD SuperCrew 5' Box ( Complete)

Exterior

Black Side Windows Trim and Black Front Windshield Trim

Black Door Handles

Body-Coloured Wheel Well Trim

Black Power Side Mirrors w/Convex Spotter and Manual Folding

Fixed Rear Window w/Defroster

Variable Intermittent Wipers

Deep Tinted Glass

Galvanized Steel/Aluminum Panels

Front License Plate Bracket

Black Grille w/Metal-Look Surround

Tailgate Rear Cargo Access

Tailgate/Rear Door Lock Included w/Power Door Locks

Cargo Lamp w/High Mount Stop Light

Fully Automatic Projector Beam Halogen Auto High-Beam Daytime Running Lights Preference Setting Headlamps w/Delay-Off

Front Fog Lamps

Perimeter/Approach Lights

Entertainment

Radio w/Seek-Scan and Speed Compensated Volume Control

Radio: AM/FM Stereo w/6-Speakers -inc: clock and Bluetooth pass thru

Integrated Roof Antenna

SiriusXM Satellite Radio -inc: a 6-month prepaid subscription, Subscription to SiriusXM sold by SiriusXM after trial period, If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at the-current rates, Fees and taxes apply, To cancel you must call SiriusXM at 1-888-539-7474, See SiriusXM customer agreement for complete terms at www.siriusxm.ca, All fees and programming subject to change, Sirius, XM and all related marks and logos are trademarks of Sirius XM

Interior

Driver Seat

Passenger Seat


Full Folding Bench Front Facing Fold-Up Cushion Rear Seat

Manual Tilt/Telescoping Steering Column

Gauges -inc: Speedometer, Odometer, Voltmeter, Oil Pressure, Engine Coolant Temp, Transmission Fluid Temp, Trip Odometer and Trip Computer

Power Rear Windows


Current report content is based on Data Version 11747, 19-Feb-2020 11:06:00 PST PM. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Chrome Data reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.

Vehicle: [Retail] 2020 Ford Ranger (R4F) XLT 4WD SuperCrew 5' Box ( Complete)

Interior

FordPass Connect 4G LTE WiFi Mobile Hotspot Internet Access
Front Cupholder
Rear Cupholder
Compass
Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
Cruise Control w/Steering Wheel Controls
HVAC -inc: Underseat Ducts
Voice Activated Dual Zone Front Automatic Air Conditioning
Locking Glove Box
Full Cloth Headliner
Urethane Gear Shifter Material
Interior Trim -inc: Metal-Look Instrument Panel Insert, Cabback Insulator and Chrome Interior Accents
Cloth Door Trim Insert
Front Premium Cloth Bucket Seats -inc: manual 4-way adjustable driver w/manual lumbar and 4-way passenger, flow-through console and floor shifter
Day-Night Rearview Mirror
Passenger Visor Vanity Mirror w/Driver And Passenger Auxiliary Mirror
3 12V DC Power Outlets
Full Overhead Console w/Storage, 3 12V DC Power Outlets and 1 AC Power Outlet
Fade-To-Off Interior Lighting
Front And Rear Map Lights
Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
Pickup Cargo Box Lights
Smart Device Remote Engine Start
Tracker System
SYNC 3 -inc: enhanced voice recognition communications and entertainment system, 8" LCD touchscreen in centre stack w/swiping and pinch-to-zoom capabilities, AppLink, 911 Assist and Apple CarPlay and Android Auto, SYNC AppLink lets you control some of your favorite compatible mobile apps w/your voice, It is compatible w/select smartphone platforms, Commands may vary by phone and AppLink software
Instrument Panel Bin, Dashboard Storage, Driver / Passenger And Rear Door Bins and 2nd Row Underseat Storage
Power 1st Row Windows w/Driver 1-Touch Up/Down
Delayed Accessory Power
Power Door Locks w/Autolock Feature

Current report content is based on Data Version 11747, 19-Feb-2020 11:06:00 PST PM. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Chrome Data reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.

Vehicle: [Retail] 2020 Ford Ranger (R4F) XLT 4WD SuperCrew 5' Box ( Complete)

Interior

Trip Computer

Analog Display

Systems Monitor

Redundant Digital Speedometer

Outside Temp Gauge

Manual w/Tilt Front Head Restraints and Manual Adjustable Rear Head Restraints

Front Centre Armrest and Rear Centre Armrest

Securilock Anti-Theft Ignition (pats) Engine Immobilizer

Perimeter Alarm

3 12V DC Power Outlets and 1 AC Power Outlet

Safety-Mechanical

Electronic Stability Control (ESC) And Roll Stability Control (RSC)

ABS And Driveline Traction Control

Safety-Exterior

Side Impact Beams

Safety-Interior

Dual Stage Driver And Passenger Seat-Mounted Side Airbags

Reverse Sensing System Rear Parking Sensors

Ford Co-Pilot360 - Blind Spot Information System (BLIS) Blind Spot

Ford Co-Pilot360 - Automatic Emergency Braking (AEB) and Ford Co-Pilot360 - Cross-Traffic Alert

Ford Co-Pilot360 - Lane-Keeping Assist Lane Keeping Assist

Ford Co-Pilot360 - Lane-Keeping Assist Lane Departure Warning

Tire Specific Low Tire Pressure Warning

Dual Stage Driver And Passenger Front Airbags

Safety Canopy System Curtain 1st And 2nd Row Airbags


Airbag Occupancy Sensor

Mykey System -inc: Top Speed Limiter, Audio Volume Limiter, Early Low Fuel Warning, Programmable Sound Chimes and Beltminder w/Audio Mute

Rear Child Safety Locks


Outboard Front Lap And Shoulder Safety Belts -inc: Rear Centre 3 Point, Height Adjusters and Pretensioners

Dynamic Hitch Assist Back-Up Camera

Vehicle: [Retail] 2020 Ford Ranger (R4F) XLT 4WD SuperCrew 5' Box ( Complete)

WARRANTY

Basic Years: 3
Basic Miles/km: 60,000
Drivetrain Years: 5
Drivetrain Miles/km: 100,000
Corrosion Years: 5
Corrosion Miles/km: Unlimited
Roadside Assistance Years: 5
Roadside Assistance Miles/km: 100,000

Vehicle: [Retail] 2020 Ford Ranger (R4F) XLT 4WD SuperCrew 5' Box ( Complete)

Technical Specifications

Powertrain

Transmission

Drivetrain	Four Wheel Drive	Trans Order Code	44U
Trans Type	10	Trans Description Cont.	Automatic w/OD
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.70
Second Gear Ratio (:1)	2.98	Third Gear Ratio (:1)	2.15
Fourth Gear Ratio (:1)	1.77	Fifth Gear Ratio (:1)	1.52
Sixth Gear Ratio (:1)	1.27	Reverse Ratio (:1)	4.87
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	Electronic
Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	No	Seventh Gear Ratio (:1)	1.00
Eighth Gear Ratio (:1)	0.85	Ninth Gear Ratio (:1)	N/A
Tenth Gear Ratio (:1)	N/A		

Mileage

EnerGuide Estimate - City	11.8 L/100 km	EnerGuide Estimate - Hwy	9.8 L/100 km
Cruising Range - City	357.81 mi	Cruising Range - Hwy	430.84 mi

Engine

Engine Order Code	99H	Engine Type	Intercooled Turbo Regular Unleaded I-4
Displacement	2.3 L/140	Fuel System	Gasoline Direct Injection
SAE Net Horsepower @ RPM	270 @ 5500	SAE Net Torque @ RPM	310 @ 3000
Engine Oil Cooler	None		


Electrical

Cold Cranking Amps @ 0° F (Primary)	700	Cold Cranking Amps @ 0° F (2nd)	700
Maximum Alternator Capacity (amps)	150	Cold Cranking Amps @ 0° F (3rd)	N/A

Cooling System

Total Cooling System Capacity	N/A
-------------------------------	-----

Current report content is based on Data Version 11747, 19-Feb-2020 11:06:00 PST PM. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Chrome Data reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.

Vehicle: [Retail] 2020 Ford Ranger (R4F) XLT 4WD SuperCrew 5' Box ( Complete)

Vehicle

Emissions

Kg/yr of CO2 Emissions @ 20K km/year	N/A	G/km Of CO2 Emissions	256
--------------------------------------	-----	-----------------------	-----

Chassis

Weight Information

Standard Weight - Front	0.00 lbs	Standard Weight - Rear	0.00 lbs
Gross Axle Wt Rating - Front	3130 lbs	Gross Axle Wt Rating - Rear	3370 lbs
Curb Weight - Front	2554 lbs	Curb Weight - Rear	1887 lbs
Option Weight - Front	0.00 lbs	Option Weight - Rear	0.00 lbs
Reserve Axle Capacity - Front	576.00 lbs	Reserve Axle Capacity - Rear	1483.00 lbs
As Spec'd Curb Weight	4441.00 lbs	As Spec'd Payload	1609.00 lbs
Maximum Payload Capacity	1609.00 lbs	Gross Combined Wt Rating	9000 lbs
Gross Axle Weight Rating	6500.00 lbs	Curb Weight	4441.00 lbs
Reserve Axle Capacity	2059.00 lbs	Total Option Weight	0.00 lbs
Payload Weight Front	0 lbs	Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	6050.00 lbs		

Frame

Frame Type	N/A	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		


Suspension

Suspension Type - Front	Short And Long Arm	Suspension Type - Rear	Leaf
Spring Capacity - Front	3130 lbs	Spring Capacity - Rear	3370 lbs
Axle Type - Front	Independent	Axle Type - Rear	Rigid Axle
Axle Capacity - Front	3108 lbs	Axle Capacity - Rear	3370 lbs
Axle Ratio (:1) - Front	3.73	Axle Ratio (:1) - Rear	3.73
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	N/A	Stabilizer Bar Diameter - Rear	N/A

Tires

Front Tire Order Code	TFU	Rear Tire Order Code	TFU
-----------------------	-----	----------------------	-----

Current report content is based on Data Version 11747, 19-Feb-2020 11:06:00 PST PM. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Chrome Data reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.

Vehicle: [Retail] 2020 Ford Ranger (R4F) XLT 4WD SuperCrew 5' Box ( Complete)

Chassis

Tires

Spare Tire Order Code	N/A	Front Tire Size	P255/65SR17
Rear Tire Size	P255/65SR17	Spare Tire Size	Full-Size
Front Tire Capacity	3240 lbs	Rear Tire Capacity	3240 lbs
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A

Wheels

Front Wheel Size	17 X 8 in	Rear Wheel Size	17 X 8 in
Spare Wheel Size	Full-Size in	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel

Steering

Steering Type	Rack-Pinion	Steering Ratio (:1), On Centre	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	42 ft
Turning Diameter - Wall to Wall	N/A		

Brakes

Brake Type	4-Wheel Disc	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	4-Wheel	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	12.2 in
Rear Brake Rotor Diam x Thickness	12.1 in	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		

Fuel Tank


Fuel Tank Capacity, Approx	68 gal	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A

Dimensions

Interior Dimensions

Passenger Capacity	5	Front Head Room	41 in
Front Leg Room	43.1 in	Front Shoulder Room	56.7 in
Front Hip Room	55.8 in	Second Head Room	38.3 in
Second Leg Room	34.5 in	Second Shoulder Room	56.3 in

Current report content is based on Data Version 11747, 19-Feb-2020 11:06:00 PST PM. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Chrome Data reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.

Vehicle: [Retail] 2020 Ford Ranger (R4F) XLT 4WD SuperCrew 5' Box ( Complete)

Dimensions

Interior Dimensions

Second Hip Room	53.5 in
-----------------	---------

Exterior Dimensions

Wheelbase	126.8 in
Length, Overall	210.8 in
Height, Overall	71.5 in
Overhang, Rear w/o bumper	N/A
Cab to Axle	N/A
Ground to Top of Load Floor	33.8 in
Frame Width, Rear	N/A
Ground Clearance, Rear	8.9 in
Cab to Body	N/A

Length, Overall w/o rear bumper	N/A
Width, Max w/o mirrors	77.8 in
Overhang, Front	35.8 in
Front Bumper to Back of Cab	N/A
Cab to End of Frame	N/A
Ground to Top of Frame	N/A
Ground Clearance, Front	8.9 in
Body Length	0.00 ft

Cargo Area Dimensions

Cargo Box Length @ Floor	61 in
Cargo Box Width @ Floor	61.4 in
Cargo Box (Area) Height	20.9 in
Cargo Volume	43.3 ft³

Cargo Box Width @ Top, Rear	61.4 in
Cargo Box Width @ Wheelhousings	44.8 in
Tailgate Width	55.4 in
Ext'd Cab Cargo Volume	N/A